

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF OHIO**

COURTNEY M. KUNYSZ,

Plaintiff,

v.

MERCK & CO., INC. and MERCK SHARP &
DOHME LLC,

Defendants.

Case No.

DEMAND FOR JURY TRIAL

COMPLAINT

Plaintiff, COURTNEY M. KUNYSZ, by and through her attorneys, Pendley, Baudin & Coffin, L.L.P., respectfully submits the following Complaint and Jury Demand against Defendants, MERCK & CO., INC., and MERCK SHARP & DOHME LLC (collectively “Merck”) and alleges the following upon personal knowledge; information and belief; and investigation of counsel.

INTRODUCTION

1. This common-law products liability, negligence, strict liability, breach of warranty and fraud action arises out of serious and debilitating injuries, including but not limited to autonomic, neurological and heterogenous autoimmune injuries and resulting sequelae that plaintiff, Courtney M. Kunysz sustained as a result of receiving the Gardasil vaccine, which was manufactured, labeled, and promoted by defendants Merck & Co., Inc., and Merck, Sharp & Dohme LLC.

PARTIES AND VENUE

2. Plaintiff, Courtney M. Kunysz (“Kunysz” or “Plaintiff”), is an adult and a

resident and citizen of Ohio.

3. Defendant Merck & Co., Inc., is a New Jersey corporation with its principal place of business at One Merck Drive, Whitehouse Station, New Jersey.

4. Defendant Merck, Sharp & Dohme LLC, is a New Jersey corporation with its principal place of business at 2000 Galloping Hill Rd., Kenilworth, New Jersey. On May 1, 2022, the entity “Merck, Sharp & Dohme Corporation” merged with Merck, Sharp & Dohme LLC, with Merck, Sharp & Dohme LLC as the surviving entity.

5. Defendant Merck & Co., Inc. is the sole member of Defendant Merck, Sharp & Dohme LLC.

6. Defendants Merck & Co., Inc., and Merck, Sharp and Dohme LLC shall hereinafter collectively be referred to as “Merck.”

7. At all times herein mentioned, each defendant was the agent, servant, partner, aider and abettor, co-conspirator and/or joint venturer of the other defendants named herein and was at all times operating and acting within the purpose and scope of said agency, service, employment, partnership, conspiracy and/or joint venture and rendered substantial assistance and encouragement to the other defendants, knowing that their collective conduct constituted a breach of duty owed to Plaintiff.

8. At all times herein mentioned, defendants were fully informed of the actions of their agents and employees, and thereafter no officer, director or managing agent of defendants repudiated those actions, which failure to repudiate constituted adoption and approval of said actions and all defendants and each of them, thereby ratified those actions.

9. There exists and, at all times herein mentioned there existed, a unity of interest in ownership between the named defendants, such that any individuality and separateness between

the defendants has ceased and these defendants are the alter-ego of each other and exerted control over each other. Adherence to the fiction of the separate existence of these two named defendants as entities distinct from each other will permit an abuse of the corporate privilege and would sanction a fraud and/or would promote injustice.

10. At all times herein mentioned, the two Merck defendants were engaged in the business of, or were successors in interest to, entities engaged in the business of researching, formulating, compounding, testing, manufacturing, producing, processing, assembling, inspecting, distributing, marketing, labeling, promoting, packaging, prescribing and/or advertising for sale, and selling products for use by patients, such as Plaintiff and her medical providers. As such, the two Merck defendants are each individually, as well as jointly and severally, liable to Plaintiff for her damages.

11. The harm caused to Plaintiff resulted from the conduct of one or various combinations of the two Merck defendants, and through no fault of Plaintiff. There may be uncertainty as to which one or which combination of the two Merck defendants caused the harm. The two Merck defendants have superior knowledge and information on the subject of which one or which combination of the two defendants caused Plaintiff's injuries. Thus, the burden of proof should be upon each of the two Merck defendants to prove that the defendant has not caused the harms Plaintiff has suffered.

12. Merck is the manufacturer, labeler and promoter of the Gardasil and Gardasil-9 vaccines, which are purported to be "cervical cancer vaccines" and "anal cancer vaccines" by preventing a handful of the hundreds of strains of the Human Papillomavirus ("HPV"). Merck regularly conducts and transacts business in Ohio and has promoted Gardasil to consumers, patients, hospitals, physicians, nurses and medical professionals, including but not limited to

Plaintiff, and the medical facility and medical professionals who prescribed and/or injected Plaintiff with Gardasil. This Court has personal jurisdiction over Merck because defendants have sufficient minimum contacts with Ohio to render the exercise of jurisdiction by this Court proper.

13. This Court has subject matter jurisdiction over the parties pursuant to 28 U.S.C. §1332(a) because Plaintiff and the defendants are citizens of different states and the amount of controversy exceeds \$75,000.00, exclusive of interest and costs.

14. Venue is proper in this Court pursuant to 28 U.S.C. §1391 because a substantial portion of the events and omissions giving rise to the claims asserted herein occurred in this District.

GENERAL ALLEGATIONS

I. Merck Has a History of Concealing Adverse Events Related to a Number of its Pharmaceutical Products

15. Merck traces its history back to 1668, when the original founder of the company, Friedrich Jacob Merck, bought an apothecary in Darmstadt, Germany. The company operated as a pharmacy for approximately the next 150+ years when, in 1827, Friedrich's descendant, Heinrich Emmanuel Merck, converted the company into a drug manufacturing enterprise. Merck's first products included morphine and cocaine.

16. Merck later manufactured a number of controversial products including Fosamax (a purported bone density drug that caused bone fractures), NuvaRing (a birth control device associated with life-threatening blood clots and death), and probably its most infamous drug, Vioxx (a pain medication Merck was forced to pull from the market due to its cardiovascular risks), all of which landed Merck in litigation hot water.

17. Regarding Vioxx, Merck was sued by tens of thousands of patients who alleged

they suffered heart attacks and other cardiovascular injuries as a result of ingesting the blockbuster pain medication.

18. Documents unsealed during the Vioxx litigation in the early 2000s revealed a culture wherein Merck knew early on that Vioxx was linked to fatal cardiovascular adverse events but nonetheless intentionally chose to conceal these risks from the public and medical community and, instead, orchestrated a scheme to downplay the severity of the risks. Merck misrepresented the results of its clinical trials, failed to undertake the clinical trials that would reveal risks, and blacklisted medical professionals who dared to publicly criticize the safety of Vioxx. *See e.g.*, Eric J. Topol, *Failing the Public Health – Rofecoxib, Merck, and the FDA*, 351 NEW ENGLAND JOURNAL OF MEDICINE 1707 (2004); Gregory D. Curfman et al., *Expression of Concern Reaffirmed*, 354 NEW ENGLAND JOURNAL OF MEDICINE 1193 (2006); Aaron S. Kesselheim et al., *Role of Litigation in Defining Drug Risks*, 17 JAMA 308 (2007); Harlan M. Krumholz et al., *What We Have Learnt From Vioxx*, 334 BRITISH MED. J. 120 (2007).

19. The British Medical Journal reported that internal documents and communications obtained from Merck during litigation revealed that Merck scientists internally acknowledged the existence of Vioxx's risks very early on: "Since the early development of [Vioxx], some scientists at Merck were concerned that the drug might adversely affect the cardiovascular system ... In internal emails made public through litigation, Merck officials sought to soften the academic authors' interpretation [of the data]. The academic authors changed the manuscript at Merck's request [to make less of the apparent risk] ..." Harlan M. Krumholz et al., *What We Have Learnt From Vioxx*, 334 BRITISH MED. J. 120 (2007). And, despite Merck's knowledge of the risk, Merck never conducted the necessary studies designed to evaluate cardiovascular risk. *Id.*

20. In an article published in the Journal of the American Medical Association, it was reported that Merck worked to “diminish the impact of reported cardiovascular adverse effects by not publishing adverse events and failing to include complete data on myocardial infarctions that occurred during a key clinical trial. The information came to the public attention through a subpoena 5 years after the article’s publication, when [Vioxx] was already off the market.” Aaron S. Kesselheim et al., *Role of Litigation in Defining Drug Risks*, 17 JAMA 308 (2007). The article concludes: “These case studies indicate that clinical trials and routine regulatory oversight as currently practiced often fail to uncover important adverse effects for widely marketed products. In each instance, the litigation process revealed new data on the incidence of adverse events, enabled reassessment of drug risks through better evaluation of data, and influenced corporate and regulatory behavior.” *Id.*

21. It was also revealed and reported that, in order to control the public narrative that Vioxx was safe and risk free, “Merck issued a relentless series of publications...complemented by numerous papers in peer-reviewed medical literature by Merck employees and their consultants. The company sponsored countless continuing medical ‘education’ symposiums at national meetings in an effort to debunk the concern about adverse cardiovascular effects.” Eric J. Topol, *Failing the Public Health – Rofecoxib, Merck, and the FDA*, 351 NEW ENGLAND JOURNAL OF MEDICINE 1707 (2004). In addition, Merck “selectively targeted doctors who raised questions about [Vioxx], going so far as pressuring some of them through department chairs.” Harlan M. Krumholz et al., *What We Have Learnt From Vioxx*, 334 BRITISH MED. J. 120 (2007). Dr. Topol, Chairman of the Department of Cardiovascular Medicine at the Cleveland Clinic, commented: “Sadly, it is clear to me that Merck’s commercial interest in [Vioxx] sales exceeded its concern about the drug’s potential cardiovascular toxicity.” Eric J. Topol, *Failing the Public*

Health – Rofecoxib, Merck, and the FDA, 351 NEW ENGLAND JOURNAL OF MEDICINE 1707 (2004).

22. Once Merck’s misdeeds vis-à-vis Vioxx were revealed in various jury trials, Merck paid nearly \$5 billion to settle the tens of thousands of personal injury actions that had been brought against it as a result of its concealment of Vioxx’s cardiovascular risks. Merck paid an additional \$1 billion to settle a securities class action brought by investors who had lost money when Merck’s stock tanked following revelations of the drug’s risks and subsequent lost sales. Merck was also forced to pay \$950 million in civil and criminal fines to the Department of Justice and other governmental entities as a result of various criminal activities Merck had engaged in with respect to Vioxx.

23. In 2005, Merck pulled Vioxx from the market and was desperate to find a replacement for its previous multi-billion-dollar blockbuster.

24. Gardasil was viewed as the answer to the financial woes Merck had suffered from Vioxx.

25. Indeed, some have euphemistically noted that HPV stood for “Help Pay for Vioxx.”

26. In the aftermath of the Vioxx scandal, and seeking a replacement product, Merck’s senior director of clinical research, Eliav Barr, M.D., proclaimed of Gardasil: “This is it. *This is the Holy Grail!*”

II. In Bringing Gardasil to Market, Merck Engaged in the Same Fraudulent Research and Marketing It Engaged in Vis-à-vis Vioxx, Resulting In Patients Being Exposed to a Vaccine That is Of Questionable Efficacy, and Which Can Cause Serious and Debilitating Adverse Events

27. As outlined herein, in researching, developing, and marketing its new Holy Grail, Gardasil, Merck engaged in the same unscrupulous tactics it so infamously engaged in with

Vioxx.

28. Certain Merck employees, scientists and executives involved in the Vioxx scandal were also involved with Gardasil, and it appears they employed the very same methods of manipulating science and obscuring risks as they did with Vioxx.

29. According to Merck's marketing claims, Gardasil (and, later, next-generation Gardasil 9) provided lifetime immunity to cervical, anal and other HPV-associated cancers.

30. As discussed more fully below, whether Gardasil prevents cancer (not to mention lifetime immunity), is unproven. In fact, it may be more likely to cause cancer in those previously exposed to HPV than to prevent it.

31. Moreover, Merck knows and actively conceals the fact that Gardasil can cause a constellation of serious adverse reactions and gruesome diseases, including autoimmune diseases, and death in some recipients.

32. As a result of Merck's fraud, Gardasil today is wreaking havoc on a substantial swath of an entire generation of children and young adults on a worldwide scale.

A. Overview of the Human Papillomavirus

33. Human Papillomavirus ("HPV") is a viral infection that is passed between people through skin-to-skin contact. There are more than 200 strains of HPV, and of those, more than 40 strains can be passed through sexual contact.

34. HPV is the most common sexually transmitted disease. It is so common that the majority of sexually active people will get it at some point in their lives, even if they have few sexual partners.

35. HPV, for the most part, is benign. More than 90 percent of HPV infections cause no clinical symptoms, are self-limited, and are removed from the human body by its own

immunological mechanisms and disappear naturally from the body following an infection. *See, e.g.,* Antonio C. de Freitas et al., *Susceptibility to cervical cancer: An Overview*, 126 GYNECOLOGIC ONCOLOGY 306 (August 2012).

36. Approximately 12 to 18 of the over 200 strains of HPV are believed to be associated with cervical cancer, and approximately six of the strains are believed to be associated with anal cancer.

37. Not every HPV infection puts one at risk for cervical cancer. Only persistent HPV infections – not short-term or transient infections or sequential infections with different HPV types – in a limited number of cases with certain strains of the virus may cause the development of precancerous lesions. With respect to cervical cancer, these precancerous lesions are typically diagnosed through Pap smears and then removed through medical procedures. However, when undiagnosed, they may in some cases progress to cervical cancer in some women. Other risk factors, such as smoking, are also associated with cervical cancer. *See* Antonio C. de Freitas et al., *Susceptibility to cervical cancer: An Overview*, 126 GYNECOLOGIC ONCOLOGY 305 (August 2012). Infection with certain types of HPV are also associated with other diseases, such as genital warts.

38. Public health officials have long recommended the Pap test (also known as Pap Smear), which detects abnormalities in cervical tissue, as the most effective frontline public health response to the disease.

39. Since its introduction, cervical cancer screening through the Pap test has reduced the rates of cervical cancer in developed countries by up to 80 percent. *Id.*

40. Incidences of cervical cancer have been declining dramatically worldwide as countries have implemented Pap screening programs.

41. New cases of cervical cancer in the U.S. affect approximately 0.8 percent of women in their lifetime. *See Cancer Stat Facts: Cervical Cancer*, NIH, at <https://seer.cancer.gov/statfacts/html/cervix.html>. For those who are diagnosed, cervical cancer is largely treatable, with a five-year survival rate of over 90 percent when the cancer is caught early. *See Antonio C. de Freitas et al., Susceptibility to cervical cancer: An Overview*, 126 GYNECOLOGIC ONCOLOGY 305 (August 2012). Anal cancer is even more rare, and according to the current data, approximately 0.2 percent of people will be diagnosed with anal cancer in their lifetime.

42. Although the incidence of cervical cancer was in rapid decline as a result of the implementation of routine testing and screening, including the Pap test and various DNA testing measures, Merck sought to fast-track a vaccine onto the market to prevent infection from four types of HPV (only two of which are associated with cancer).

B. Overview of the Gardasil Vaccine and Its Fast-Track Approval

43. While there are over 200 types of the HPV virus, only 12 to 18 types currently are considered potentially associated with cervical or anal cancer. Merck's original Gardasil vaccine claimed to prevent infections from four strains (HPV Strain Types 6, 11, 16 and 18) and only two of those (Types 16 and 18) were associated with cervical and anal cancer.

44. Under Food and Drug Administration ("FDA") requirements, to obtain approval for marketing a vaccine, the manufacturer must conduct studies to test the effectiveness and safety of the vaccine. Once FDA approval is obtained, the manufacturer has a duty to perform any further scientific and medical investigation as a reasonably prudent manufacturer would perform, and to engage in any necessary post-marketing pharmacovigilance related to the product.

45. The FDA approved Gardasil on June 8, 2006, after granting Merck fast-track status and speeding the approval process to a six-month period, leaving unanswered material questions relating to its effectiveness and safety as well as when and to whom the Gardasil vaccine ought to be administered.

46. Merck failed, during the preapproval processing period and thereafter, to disclose (to the FDA and/or the public), material facts and information relating to the effectiveness and safety of Gardasil, as well as to whom the vaccine should or should not be administered.

47. Merck failed to perform in the preapproval processing period and thereafter, scientific and medical investigations and studies relating to the safety, effectiveness and need for the Gardasil vaccine as either required by and under FDA directives and regulations, and/or those which a prudent manufacturer should have conducted unilaterally.

48. In June 2006, after the FDA's fast-tracked review, Gardasil was approved for use in females ages nine through 26 for the purported prevention of cervical cancer and, almost immediately thereafter, the Advisory Committee on Immunization Practices ("ACIP"), a committee within the Centers for Disease Control ("CDC"), recommended Gardasil for routine vaccination of adolescent girls ages eleven and twelve years old, but also allowed it to be administered to girls as young as nine years old.

49. On October 16, 2009, the FDA approved Gardasil for use in boys ages nine through 26 for the prevention of genital warts caused by HPV types 6 and 11, and in December 2010, it approved Gardasil for the purported prevention of anal cancer in males and females ages nine through 26.

50. Subsequently, Merck sought approval for Gardasil 9 (containing the same ingredients as Gardasil, but in higher quantities), which purportedly guarded against five

additional HPV strains currently associated with cervical cancer and anal cancer (HPV Types 31, 33, 45, 52 and 58) than the original Gardasil, for a total of nine strains.

51. The FDA approved Gardasil 9 in December 2014, for use in girls ages nine through 26 and boys ages nine through 15 for the purported prevention of cervical, vaginal, and anal cancers. Presently, Gardasil 9 has been approved for and is being promoted by Merck to males and females who are between nine and 45 years of age, with an emphasis by Merck on marketing to pre-teen children and their parents. With little evidence of efficacy, the FDA also recently approved, on an accelerated basis, Gardasil 9 for prevention of oropharyngeal and other head and neck cancers.

52. After the approval of the Gardasil 9 vaccine, the original Gardasil vaccine was phased out of the U.S. Market; and the original Gardasil vaccine is no longer available for sale in the United States.

53. According to data from the National Cancer Institute's ("NCI") Surveillance, Epidemiology and End Results Program ("SEER"), the incidence of deaths from cervical cancer prior to Gardasil's introduction in the United States had been steadily declining for years and, in 2006, was 2.4 per 100,000 women or approximately 1 in every 42,000 women. The currently available rate is essentially unchanged, 2.2 per 100,000 women, based on data through 2017.

54. The median age of death from cervical cancer is 58, and death from anal cancer is 66, and teenagers (who are the target population of Gardasil) essentially have zero risk of dying from cervical or anal cancer.

55. Merck purchased fast-track review for Gardasil and Gardasil 9 under the Prescription Drug User Fee Act ("PDUFA"). Fast-track is a process designed to facilitate the development of drugs, and to expedite their review, in order to treat serious conditions and fill

an unmet medical need.

56. Anxious to get Gardasil onto the market as soon as possible following the Vioxx debacle, Merck sought fast-track approval even though there already existed a highly effective and side-effect free intervention, Pap smears, with no evidence that Gardasil was potentially superior to Pap smears in preventing cervical cancer.

57. In fact, the clinical trials Merck undertook did not even examine Gardasil's potential to prevent cancer, rather, the trials only analyzed whether Gardasil could prevent potential precursor conditions, i.e., HPV infections and cervical interepithelial neoplasia ("CIN") lesions graded from CIN1 (least serious) to CIN3 (most serious), the vast majority of which resolve on their own without intervention. CIN2 and CIN3 were the primary surrogate endpoints studied. Likewise, the clinical trials from Gardasil did not examine Gardasil's potential to prevent anal cancer, rather, the trials similarly only look at anal intraepithelial neoplasia ("AIN") lesions graded 1 through 3, and the Gardasil 9 studies did not even include any studies concerning the efficacy of Gardasil in preventing anal lesions.

58. According to the FDA, whether a condition is "serious" depends on such factors as "survival, day-to-day functioning, or the likelihood that the condition, if left untreated, will progress from a less severe condition to a more serious one."

59. As previously discussed, over 90 percent of HPV infections and the majority of cervical dysplasia, resolve without intervention.

60. However, Merck presented misleading data to the FDA suggesting that CIN2 and CIN3 inexorably result in cancer.

61. Federal law allows fast-track approval when there is no existing intervention to treat the targeted disease or where the proposed treatment is potentially superior to an existing

treatment.

62. Merck knows (and knew) that Gardasil and Gardasil 9 are far less effective than Pap tests in preventing cervical cancer.

63. In order to obtain FDA approval, Merck conducted a series of fraudulent Gardasil studies and then influenced the votes of the FDA's Vaccines and Related Biological Products Advisory Committee ("VRBPAC") and the CDC's Advisory Committee on Immunization Practices ("ACIP") to win both an FDA license and a CDC/ACIP approval and recommendation that all 11- and 12-year-old girls should be vaccinated with Gardasil.

64. That ACIP "recommendation" was, effectively, a mandate to doctors to sell Merck's very expensive vaccine, thereby compelling parents of American children as young as nine years old to buy this expensive product. With ACIP's recommendation, Merck was emboldened to build demand through direct-to-consumer advertising and door-to-door marketing to doctors, and, with the ACIP's blessing of the vaccine, circumvented the need to create a traditional market for the product.

65. Julie Gerberding, then the Director of CDC, obligingly ushered the Gardasil vaccine through CDC's regulatory process manifestly ignoring clear evidence that Gardasil's efficacy was unproven, and that the vaccine was potentially dangerous.

66. Merck, shortly thereafter, rewarded Gerberding by naming her President of Merck Vaccines in 2010.

67. In addition to the revolving regulatory/industry door, (wherein the Director of CDC who approved the vaccine is subsequently employed by the manufacturer as a high-level executive to oversee the commercial success of the vaccine she previously approved), it is also worth noting some of the other conflicts of interest that exist within governmental agencies in

relation to the facts surrounding Gardasil. Scientists from the National Institute of Health (“NIH”), which is a division of the United States Department of Health and Human Services (“HHS”), discovered a method of producing “virus-like-particles” (“VLPs”) that made creation of the Gardasil vaccine possible. The NIH scientists’ method of producing VLPs was patented by the Office of Technology Transfer (“OTT”), which is part of the NIH, and the licensing rights were sold to Merck (for manufacture of Gardasil). Not only does the NIH (and, in effect, the HHS) receive royalties from sales of Gardasil, but the scientists whose names appear on the vaccine patents can receive up to \$150,000 per year (in perpetuity). Accordingly, the Gardasil patents have earned HHS, NIH and the scientists who invented the technology millions of dollars in revenue.

68. Moreover, members of ACIP have been allowed to vote on vaccine recommendations even if they have financial ties to drug companies developing similar vaccines. According to a 2000 U.S. House of Representatives investigation report, the majority of the CDC’s eight ACIP committee members had conflicts of interest. The Chairman of ACIP served on Merck’s Immunization Advisory Board and a number of the other ACIP members had received grants, salaries, or other forms of remuneration from Merck

C. Merck Engaged in Disease Mongering and False Advertising to Enhance Gardasil Sales

69. Prior to and after the approval of Gardasil, Merck engaged in unscrupulous marketing tactics designed to overstate both the risks associated with HPV and the purported efficacy of Gardasil to scare the public into agreeing to mass vaccinations of the Gardasil vaccine.

70. Prior to Merck’s aggressive marketing campaign, there was no HPV public health emergency in high-resource countries, such as the United States.

71. Most women had never heard of HPV. The NCI's 2005 Health Information National Trends Survey ("HINTS") found that, among U.S. women 18 to 75 years old, only 40 percent had heard of HPV. Among those who had heard of HPV, less than half knew of an association between HPV and cervical cancer. Furthermore, only four percent knew that the vast majority of HPV infections resolve without treatment.

72. The stage was set for Merck to "educate" the public about HPV, cervical cancer, and Gardasil, all to Merck's advantage.

73. Merck preceded its rollout of Gardasil with years of expensive disease awareness marketing. Merck ran "Tell Someone" commercials, designed to strike fear in people about HPV and cervical cancer – even ominously warning that you could have HPV and not know it. The commercials could not mention Gardasil, which had not yet been approved by FDA, but did include Merck's logo and name. Critics of Merck's pre-approval advertising and promotion called it "deceptive and dishonest." While Merck claims the promotion was part of public health education, critics complained that this "education" was designed to sell Gardasil and build the market for the vaccine. *See* Angela Zimm and Justin Blum, *Merck Promotes Cervical Cancer Shot by Publicizing Viral Cause*, BLOOMBERG NEWS, May 26, 2006.

74. A year before obtaining licensing for its vaccine, Merck engaged in a major offensive in "disease branding" to create a market for its vaccine out of thin air. *See* Beth Herskovits, *Brand of the Year*, PHARMEXEC.COM, February 1, 2007.

<http://www.pharmexec.com/brand-year-0>

75. Merck also engaged in a relentless propaganda campaign aimed at frightening and guilt-tripping parents who failed to inoculate their children with Gardasil.

76. In addition to paid advertising, Merck worked with third parties to "seed" an

obliging media with terrifying stories about cervical cancer in preparation for Merck's Gardasil launch.

77. Prior to the FDA's 2006 approval of Gardasil, the media – under direction of Merck and its agents – dutifully reported alarming cervical cancer stories, accompanied by the promotion of an auspicious vaccine.

78. Merck intended its campaign to create fear and panic and a public consensus that “good mothers vaccinate” their children with Gardasil. According to Merck propagandists, the only choice was to “get the vaccine immediately” or “risk cervical or anal cancer.”

79. Merck aggressively and fraudulently concealed the risks of the vaccine in broadcast materials and in propaganda that it disseminated in the United States.

80. Merck sold and falsely promoted Gardasil knowing that, if consumers were fully informed about Gardasil's risks and dubious benefits, almost no one would have chosen to vaccinate.

81. Merck negligently and fraudulently deprived parents and children of their right to informed consent.

82. One of Merck's television campaigns, conducted in 2016, shamelessly used child actors and actresses, implicitly dying of cancer, looking into the camera and asking their parents whether or not they knew that the HPV vaccine could have protected them against the HPV virus that caused them to develop their cancers. Each actor asked the following question: “Did you know? Mom? Dad?”¹ Merck spent \$41 million over two months on the campaign. The ads said nothing about potential side effects. Merck also distributed pamphlets via U.S. mail to doctors ahead of the ad's release to encourage them to share it with their patients:

¹ See “Mom, Dad, did you know?” commercial: <https://www.ispot.tv/ad/Ap1V/know-hpv-hpv-vaccination>.



83. Merck’s fraudulent message was that cervical cancer and anal cancer were real-life killers of young men and women, notwithstanding the fact that the average age for development of cervical cancer is 50 years old, average age of development of anal cancer is 60 years old and that the cancer is virtually nonexistent in men and women under 20.

84. Other television marketing campaigns Merck launched falsely proclaimed that Gardasil was a “cervical cancer vaccine” and that any young girl vaccinated with Gardasil would become “one less” woman with cervical cancer. The “One Less” marketing campaign portrayed Gardasil as if there were no question as to the vaccine’s efficacy in preventing cervical cancer, and it disclosed none of Gardasil’s side effects.

85. Merck marketed Gardasil with the most aggressive campaign ever mounted to promote a vaccine, spending more on Gardasil advertising than any previous vaccine advertising campaign.

D. Merck Used Scare Tactics and Provided Financial Incentives to Legislatures to Attempt to make the Gardasil Vaccine Mandatory for All School Children

86. An ACIP recommendation of a vaccine, adopted by individual states, opens the door to mandates affecting as many as four million children annually.

87. With Gardasil costing \$360 for the original three-dose series (exclusive of the

costs associated with medical appointments) and Gardasil 9 now priced at \$450 for two doses (again, not including the cost of the medical appointments), Merck stood to earn billions of dollars per year, in the US alone, with little marketing costs.

88. Prior to Gardasil's approval in 2006, Merck was already targeting political figures to aid in the passage of mandatory vaccination laws.

89. As early as 2004, a group called Women in Government ("WIG") started receiving funding from Merck and other drug manufacturers who had a financial interest in the vaccine.

90. With the help of WIG, Merck aggressively lobbied legislators to mandate Gardasil to all sixth-grade girls. *See Michelle Mello et al., Pharmaceutical Companies' Role in State Vaccination Policymaking: The Case of Human Papillomavirus Vaccination*, 102 AMERICAN J PUBLIC HEALTH 893 (May 2012).

91. In 2006, Democratic Assembly leader Sally Lieber of California introduced a bill that would require all girls entering sixth grade to receive the Gardasil vaccination. Lieber later dropped the bill after it was revealed there was a possible financial conflict of interest.

92. Prior to the introduction of the bill, Lieber met with WIG representatives. In an interview, the President of WIG, Susan Crosby, confirmed that WIG funders have direct access to state legislators, in part through the organization's Legislative Business Roundtable, of which WIG funders are a part. *See Judith Siers-Poisson, The Gardasil Sell Job*, in CENSORED 2009: THE TOP 25 CENSORED STORIES OF 2007-08, 246 (Peter Philips ed. 2011).

93. Dr. Diane Harper, a medical doctor and scientist who was hired as a principal investigator on clinical trials for Gardasil gave an interview for an article on the HPV vaccines and WIG in 2007. Harper, who had been a major presenter at a WIG meeting in 2005, stated

that “the Merck representative to WIG was strongly supporting the concept of mandates later in the WIG meetings and providing verbiage on which the legislators could base their proposals.”

94. WIG was one of dozens of “pay to play” lobby groups that Merck mobilized to push HPV vaccine mandates.

95. Another group, the National Association of County and City Health Officials (NACCHO), was also pushing HPV vaccine mandates in all 50 states.

96. To that end, Merck made large contributions to political campaigns and legislative organizations. By February 2007, 24 states and the District of Columbia had introduced mandate legislation.

97. Several states passed laws allowing preteen children as young as age 12 to “consent” to vaccination with an HPV vaccine without parental consent or knowledge.

98. One New York state county offered children free headphones and speakers to encourage them to consent to the Gardasil vaccine. *See Mary Holland et al., THE HPV VACCINE ON TRIAL: SEEKING JUSTICE FOR A GENERATION BETRAYED* 131 (2018).

99. Merck funneled almost \$92 million to Maryland’s Department of Health between 2012 and 2018 to promote Gardasil in Maryland schools, in a fraudulent campaign that paid school officials to deliberately deceive children and parents into believing Gardasil was mandatory for school attendance. Josh Mazer, *Maryland should be upfront about HPV vaccinations for children*, CAPITAL GAZETTE, August 14, 2018, at

<https://www.capitalgazette.com/opinion/columns/ac-ce-column-mazer-20180814-story.html>.

E. Merck Pushed Gardasil Using Trusted Doctors and Third-Party Front Groups

100. In order to mobilize “third-party credibility” to push Gardasil, Merck gave massive donations to dozens of nonprofit groups to “educate” the public via “education grants.”

For example, a disclaimer on American College of Obstetricians and Gynecologists' Immunization for Women website stated that "[t]his website is supported by an independent educational grant from Merck and Sanofi Pasteur US."

101. Merck offered influential doctors (also known as "key opinion leaders") \$4,500 for every Gardasil lecture they gave.

102. Among the allegedly independent organizations Merck recruited to push Gardasil were the Immunization Coalition, the Allegheny County Board of Health, the Eye and Ear Foundation, the Jewish Healthcare Foundation, the American Dental Association, the American College of Obstetricians and Gynecologists, and the American Cancer Society.

F. Merck Has Systematically Misrepresented the Efficacy of Gardasil By Advertising that Gardasil Prevents Cervical Cancer When There Are No Clinical Studies to Support This False Claim

103. Merck faced a daunting problem in convincing regulators, doctors, and the public to accept the Gardasil vaccine.

104. Merck recommends the vaccine for children aged 11 to 12 years old, to provide protection against a disease that, in the United States, is not generally diagnosed until a median age of 50. Moreover, in those rare instances of death, the median age is 58.

105. There are no studies proving that Gardasil prevents cancer.

106. Because it can take decades for a persistent HPV infection to proceed to development of cervical or anal cancer, and because cervical and anal cancers are so rare, a true efficacy study would require decades and likely hundreds of thousand – if not millions – of trial participants to demonstrate that eliminating certain HPV infections would actually prevent the development of cervical and anal cancer.

107. Merck did not want to invest the time or money necessary to perform testing that would prove that its vaccine actually worked to prevent cervical and anal cancer.

108. Instead, Merck persuaded regulators to allow it to use “surrogate endpoints” to support its theory that the HPV vaccines would be effective in preventing cervical and anal cancer.

109. The clinical trials therefore did not test whether HPV vaccines prevent cervical, anal or other cancers. Instead, Merck tested the vaccines against development of certain cervical lesions, which some researchers’ suspects are precursors to cancer, although the majority of these lesions – even the most serious – regress on their own. *See, e.g.*, Jin Yingji et al., *Use of Autoantibodies Against Tumor-Associated Antigens as Serum Biomarkers for Primary Screening of Cervical Cancer*, 8 ONCOTARGET 105425 (Dec. 1, 2017); Philip Castle et al., *Impact of Improved Classification on the Association of Human Papillomavirus With Cervical Precancer*, 171 AMERICAN JOURNAL OF EPIDEMIOLOGY 161 (Dec. 10, 2009); Karoliina Tainio et al., *Clinical Course of Untreated Cervical Intraepithelial Neoplasia Grade 2 Under Active Surveillance: Systematic Review and Meta-Analysis*, 360 BRIT. MED. J. k499 (Jan. 16, 2018).

110. The Department of Health and Human Services (HHS), which oversees the FDA, and which also stood to make millions of dollars on the vaccine from patent royalties, allowed the use of Merck’s proposed surrogate endpoints.

111. The surrogate endpoints chosen by Merck to test the efficacy of its HPV vaccine were cervical and anal intraepithelial neoplasia (CIN) grades 2 and 3 and adenocarcinoma in situ.

112. Merck used these surrogate endpoints even though it knew that these precursor lesions are common in young women under 25 and rarely progress to cancer.

113. At the time FDA approved the vaccine, Merck’s research showed only that Gardasil prevented certain lesions (the vast majority of which would have resolved on their own

without intervention) and genital warts – not cancer itself, and only for a few years at that.

114. The use of these surrogate endpoints allowed Merck to shorten the clinical trials to a few years and gain regulatory approvals of the vaccines without any evidence the vaccines would prevent cancer in the long run.

115. Merck’s advertisements assert that the HPV vaccine prevents cervical cancer. For example, in a presentation to medical doctors, Merck proclaimed: “Every year that increases in coverage [of the vaccine] are delayed, another 4,400 women will go on to develop cervical cancer.” The presentation goes on to tell doctors that women who do not get the vaccine will go on to develop cancer.

116. Merck’s foundational theory that HPV alone causes cervical and anal cancer, while dogmatically asserted, is not proven.

117. Research indicates that cervical and anal cancer is a multi-factor disease with persistent HPV infections seeming to play a role, along with many other environmental and genetic factors, including smoking cigarettes or exposure to other toxic smoke sources, long-term use of oral contraceptives, nutritional deficiencies, multiple births (especially beginning at an early age), obesity, inflammation, and other factors. Not all cervical and anal cancer is associated with HPV types in the vaccines and not all cervical and anal cancer is associated with HPV at all.

118. Despite the lack of proof, Merck claimed that Gardasil could eliminate cervical and anal cancer and other HPV-associated cancers.

119. However, *Merck knows* that the Gardasil vaccines cannot eliminate all cervical and anal cancer or any other cancer that may be associated with HPV.

120. Even assuming the Gardasil vaccine is effective in preventing infection from the

four to nine vaccine-targeted HPV types, the results may be short term, not guaranteed, and ignore the 200 or more other types of HPV not targeted by the vaccine, and some of which already have been associated with cancer.

121. Even assuming these vaccine-targets are the types solely responsible for 100 percent of cervical and anal cancer – which they are not – the vaccines have not been followed long enough to prove that Gardasil protects girls and boys from cancer that would strike them 40 years later.

122. Under Merck’s hypothetical theory, the reduction of pre-cancerous lesions should translate to fewer cases of cervical and anal cancer in 30 to 40 years.

123. Cervical and anal cancer takes decades to develop and there are no studies that prove the Gardasil vaccines prevent cancer.

124. In January 2020, a study from the UK raised doubts about the validity of the clinical trials in determining the vaccine’s potential to prevent cervical cancer. The analysis, carried out by researchers at Newcastle University and Queen Mary University of London, revealed many methodological problems in the design of the Phase 2 and 3 trials, leading to uncertainty regarding understanding the effectiveness of HPV vaccination. *See Claire Rees et al., Will HPV Vaccine Prevent Cancer? J. OF THE ROYAL SOC. OF MED.* 1-15 (2020).

125. As Dr. Tom Jefferson of the Centre for Evidence-Based Medicine pointed out: “The reason for choosing vaccination against HPV was to prevent cancer but there’s no clinical evidence to prove it will do that.”

126. Gardasil has never been proven to prevent cervical or any other kind of cancer.

127. Yet Merck has marketed the Gardasil vaccines as if there is no question regarding their efficacy at preventing cervical and anal cancer. In reality, they are at best protective

against only four to nine of the over 200 strains of the human papillomavirus.

G. The Gardasil Vaccines Contain Numerous Hazardous Ingredients, Including At Least One Ingredient Merck Failed to Disclose to Regulators and the Public

i. Gardasil Contains A Toxic Aluminum Adjuvant

128. To stimulate an enhanced immune response that allegedly *might possibly* last for 50 years, Merck added to the Gardasil vaccine a particularly toxic aluminum-containing adjuvant – Amorphous Aluminum Hydroxyphosphate Sulfate (“AAHS”).

129. Aluminum is a potent neurotoxin that can result in very serious harm.

130. The original Gardasil vaccine contains 225 micrograms of AAHS, and Gardasil 9 contains 500 micrograms of AAHS.

131. Federal law requires that manufacturers cannot add adjuvants to vaccines that have not been proven safe. 21 C.F.R. § 610.15(a).

132. AAHS has never been proven safe. AAHS is a recent proprietary blend of aluminum and other unknown ingredients developed by Merck and used in Merck vaccines, including Gardasil. Prior vaccines have used a different aluminum formulation.

133. Peer-reviewed studies show that aluminum binds to non-vaccine proteins, including the host’s own proteins, or to latent viruses, triggering autoimmune and other serious conditions. See Darja Kanduc, *Peptide Cross-reactivity: The Original Sin of Vaccines*, 4 FRONTIERS IN BIOSCIENCE 1393 (June 2012).

134. Aluminum, including AAHS, has been linked to scores of systemic side effects including, but not limited to: impairing cognitive and motor function; inducing autoimmune interactions; increasing blood brain barrier permeability; inducing macrophagic myofascitis in muscle; blocking neuronal signaling; interrupting cell-to-cell communications; corrupting neuronal-glia interactions; interfering with synaptic transmissions; altering enzyme function;

impairing protein function; fostering development of abnormal tau proteins; and altering DNA.

ii. Merck Concealed the Fact that Gardasil Contained a Potentially Hazardous DNA Adjuvant

135. Merck has repeatedly concealed or incorrectly identified Gardasil ingredients to the FDA and the public.

136. Merck concealed from the FDA and the public that Gardasil contained a potentially hazardous ingredient, HPV LI-DNA fragments. These DNA fragments could act as a Toll-Like Receptor 9 (“TLR9”) agonist – further adjuvanting the vaccine and making it more potent. Merck used this hidden adjuvant to prolong the immunological effects of the vaccine, but illegally omitted it from its list of substances and ingredients in the vaccine.

137. Dr. Sin Hang Lee has opined that, without adding the TLR9 agonist, Gardasil would not be immunogenic. The DNA fragments bound to the AAHS nanoparticles act as the TLR9 agonist in both Gardasil and Gardasil 9 vaccines, creating the strongest immune-boosting adjuvant in use in any vaccine.

138. On multiple occasions, Merck falsely represented to the FDA and others, including regulators in other countries, that the Gardasil vaccine did not contain viral DNA, ignoring the DNA fragments.

139. This DNA adjuvant is not approved by the FDA and Merck does not list it among the ingredients as federal law requires. See 21 C.F.R. § 610.61(o) (requiring that adjuvants be listed on biologics’ labeling). Even if not an adjuvant, the DNA fragments should have been listed because they represent a safety issue. 21 C.F.R. §610.61(n).

140. It is unlawful for vaccine manufacturers to use an experimental and undisclosed adjuvant.

141. When independent scientists found DNA fragments in every Gardasil vial tested,

from all over the world, Merck at first denied, and then finally admitted, the vaccine does indeed include HPV L1-DNA fragments.

142. Tellingly, Merck entered into a business arrangement with Idera Pharmaceuticals in 2006 to explore DNA adjuvants to further develop and commercialize Idera's toll-like receptors in Merck's vaccine program.

143. To this day, the Gardasil package inserts do not disclose that DNA fragments remain in the vaccine.

144. Dr. Lee also found HPV DNA fragments from the Gardasil vaccine in post-mortem spleen and blood samples taken from a young girl who died following administration of the vaccine. *See Sin Hang Lee, Detection of Human Papillomavirus L1 Gene DNA Fragments in Postmortem Blood and Spleen After Gardasil Vaccination—A Case Report*, 3 *ADVANCES IN BIOSCIENCE AND BIOTECHNOLOGY* 1214 (December 2018).

145. Those fragments appear to have played a role in the teenager's death.

146. The scientific literature suggests there are grave and little-understood risks attendant to injecting DNA into the human body.

iii. Gardasil Contains Borax

147. Gardasil contains sodium borate (borax). Borax is a toxic chemical and may have long-term toxic effects.

148. Merck has performed no studies to determine the impact of injecting borax into millions of young children or adults.

149. Sodium borate is known to have adverse effects on male reproductive systems in rats, mice, and dogs. Furthermore, borax causes increased fetal deaths, decreased fetal weight, and increased fetal malformations in rats, mice, and rabbits.

150. The European Chemical Agency requires a “DANGER!” warning on borax and states that borax “may damage fertility or the unborn child.”

151. The Material Safety Data Sheet (“MSDS”) for sodium borate states that sodium borate “[m]ay cause adverse reproductive effects” in humans.

152. The FDA has banned borax as a food additive in the United States, and yet allows Merck to use it in the Gardasil vaccine without any proof of safety.

iv. Gardasil Contains Polysorbate 80

153. Gardasil contains Polysorbate 80.

154. Polysorbate 80 crosses the blood-brain barrier.

155. Polysorbate 80 is used in drugs to open up the blood brain barrier in order to allow the active ingredients in a drug to reach the brain and to elicit the intended response. It acts as an emulsifier for molecules like AAHS and aluminum, enabling those molecules to pass through resistive cell membranes.

156. Polysorbate 80 is associated with many health injuries, including, anaphylaxis, infertility and cardiac arrest.

157. Polysorbate 80 was implicated as a cause, possibly with other components, of anaphylaxis in Gardasil recipients in a study in Australia. *See* Julia Brotherton et al., *Anaphylaxis Following Quadrivalent Human Papillomavirus Vaccination*, 179 CANADIAN MEDICAL ASSOC. J. 525 (September 9, 2008). Merck never tested Polysorbate 80 for safety in vaccines.

v. Gardasil Contains Genetically Modified Yeast

158. Gardasil contains genetically modified yeast.

159. Studies have linked yeast with autoimmune conditions. *See, e.g.*, Maurizio

Rinaldi et al., *Anti-Saccharomyces Cerevisiae Autoantibodies in Autoimmune Diseases: from Bread Baking to Autoimmunity*, 45 CLINICAL REVIEWS IN ALLERGY AND IMMUNOLOGY 152 (October 2013).

160. Study participants with yeast allergies were excluded from Gardasil clinical trials.

161. Merck has performed no studies to determine the safety of injecting yeast into millions of children and young adults.

H. As it Did with Vioxx, In Conducting Its Clinical Trials, Merck Concealed Risks to Falsely Enhance the Safety Profile of Gardasil

162. Merck engaged in wholesale fraud during its safety and efficacy clinical studies.

163. In order to obtain its Gardasil license, Merck designed its studies purposefully to conceal adverse events and exaggerate efficacy.

164. Merck sold Gardasil to the public falsely claiming that pre-licensing safety tests proved it to be effective and safe.

165. In fact, Merck's own pre-licensing studies showed Gardasil to be of doubtful efficacy and dangerous.

166. The dishonesty in the clinical tests has led many physicians to recommend the vaccination, under false assumptions.

167. The clinical trials clearly demonstrated that the risks of both Gardasil and Gardasil 9 outweigh any proven or theoretical benefits.

168. Merck deliberately crafted the study protocols in a manner that would conceal evidence of chronic conditions such as autoimmune diseases associated with Gardasil during the clinical studies.

169. Merck employed deceptive means to cover up injuries that study group participants suffered.

170. In early 2018, Lars Jørgensen, M.D., Ph.D. and Professor Peter Gøtzsche, M.D. (then with the Nordic Cochrane Centre), and Professor Tom Jefferson, M.D., of the Centre for Evidence-Based Medicine, published a study indexing all known industry and non-industry HPV vaccine clinical trials and were disturbed to find that regulators such as the FDA and EMA (European Medicines Agency) assessed as little as half of all available clinical trial results when approving the HPV vaccines. Lars Jørgensen et al., *Index of the Human Papillomavirus (HPV) Vaccine Industry Clinical Study Programmers and Non-Industry Funded Studies: a Necessary Basis to Address Reporting Bias in a Systematic Review*, 7 SYSTEMATIC REVIEWS (January 18, 2018).

171. Per the indexing study discussed above, Merck appears to have kept a number of its clinical trial results secret. Moreover, it appears that Merck reported only those findings that support its own agenda.

172. Three separate reviews of the Gardasil vaccine by the Cochrane Collaboration found that the trial data were “largely inadequate.”

173. According to Dr. Tom Jefferson, “HPV [vaccine] harms have not been properly studied.”

174. In 2019, numerous medical professionals published an article in the British Medical Journal outlining the flaws and incomplete nature of the publications discussing Merck’s Gardasil clinical trials. The authors issued a “call to action” for independent researchers to reanalyze or “restore the reporting of multiple trials in Merck’s clinical development program for quadrivalent human papillomavirus (HPV) vaccine (Gardasil) vaccine.” Peter Doshi et al., *Call to Action: RIAT Restoration of Previously Unpublished Methodology in Gardasil Vaccine Trials*, 346 BRIT. MED. J. 2865 (2019). The authors explained

that the highly influential publications of these studies, which formed the basis of Gardasil's FDA approval, "incompletely reported important methodological details and inaccurately describe the formulation that the control arm received, necessitating correction of the record."

Id. The authors explained that, while the publications claimed the clinical trials of Gardasil were "placebo-controlled," "participants in the control arm of these trials did not receive an inert substance, such as saline injection. Instead, they received an injection containing [AAHS], a proprietary adjuvant system that is used in Gardasil to boost immune response." *Id.*

175. The researchers further opined that "the choice of AAHS-containing controls complicates the interpretation of efficacy and safety results in trials ... We consider the omission in journal articles, of any rationale for the selection of AAHS-containing control, to be a form of incomplete reporting (of important methodological details) and believe the rationale must be reported. We also consider that use of the term 'placebo' to describe an active comparator like AAHS inaccurately describes the formulation that the control arm received and constitutes an important error that requires correction." *Id.*

176. The authors pointed out that Merck's conduct "raises ethical questions about trial conduct as well" and that they and other scientists would need to review the Gardasil clinical trial raw data, in order to be able to analyze the safety and adverse event profile of Gardasil meaningfully and independently. *Id.*

i. Small Clinical Trials

177. Although nine to 12-year-olds are the primary target population for HPV vaccines, Merck used only a small percentage of this age group in the clinical trials. Protocol 018 was the only protocol comparing children receiving a vaccine to those who did not. In that study, Merck looked at results of fewer than 1,000 children 12 and younger for a vaccine

targeting billions of boys and girls in that age group over time. In Protocol 018, 364 girls and 332 boys (696 children) were in the vaccine cohort, while 199 girls and 173 boys (372 children) received a non-aluminum control.

178. The small size of this trial means that it was incapable of ascertaining all injuries that could occur as a result of the vaccine.

ii. Merck Used a Highly Toxic “Placebo” to Mask Gardasil Injuries

179. Instead of comparing health outcomes among volunteers in the Gardasil study group to health outcomes among volunteers receiving an inert placebo, Merck purposefully used a highly toxic placebo as a control in order to conceal Gardasil’s risks in all trials using comparators with the exception of Protocol 018, where only 372 children received a non-saline placebo containing everything in the vaccine except the adjuvant and antigen.

180. Comparing a new product against an inactive placebo provides an accurate picture of the product’s effects, both good and bad. The World Health Organization (“WHO”) recognizes that using a toxic comparator as a control (as Merck did here) creates a “methodological disadvantage.” WHO states that “it may be difficult or impossible to assess the safety” of a vaccine when there is no true placebo.

181. Merck deliberately used toxic “placebos” in the control group, in order to mask harms caused by Gardasil to the study group.

182. Instead of testing Gardasil against a control with a true inert placebo, Merck tested its vaccine in almost all clinical trials against its highly neurotoxic aluminum adjuvant, AAHS.

183. Merck gave neurotoxic aluminum injections to approximately 10,000 girls and young women participating in Gardasil trials, to conceal the dangers of Gardasil vaccines.

184. Merck never safety tested AAHS before injecting it into thousands of girls and young women in the control groups and the girls and young women were not told they could receive an aluminum “placebo.” Merck told the girls that they would receive either the vaccine or a safe inert placebo.

185. Merck violated rules and procedures governing clinical trials when it lied to the clinical study volunteers, telling them that the placebo was an inert saline solution – when in reality the placebo contained the highly neurotoxic aluminum adjuvant, AAHS.

186. AAHS provoked terrible injuries and deaths in a number of the study participants when Merck illegally dosed the control group volunteers with AAHS.

187. Since the injuries in the Gardasil group were replicated in the AAHS control group, this scheme allowed Merck to falsely conclude that Gardasil’s safety profile was comparable to the “placebo.”

188. The scheme worked and enabled Merck to secure FDA licensing.

189. Merck lied to the FDA when it told public health officials that it had used a saline placebo in Protocol 018.

190. There was no legitimate public health rationale that justifies Merck’s failure to use a true saline placebo control in the original Gardasil clinical trials. At that time, no other vaccine was yet licensed for the four HPV strains Gardasil was intended to prevent.

191. A small handful of girls in a subsequent Gardasil 9 trial group, may have received the saline placebo, but only after they had already received three doses of Gardasil for the Gardasil 9 trial.

iii. Merck Used Exclusionary Criteria to Further Conceal Gardasil Risks

192. Merck also manipulated the Gardasil studies by excluding nearly half of the

original recruits to avoid revealing the effects of the vaccine on vulnerable populations.

193. After recruiting thousands of volunteers to its study, Merck excluded all women who had admitted to vulnerabilities that might be aggravated by the vaccine, such as abnormal Pap tests or a history of immunological or nervous system disorders.

194. Women could also be excluded for “[a]ny condition which in the opinion of the investigator might interfere with the evaluation of the study objectives.”

195. Merck’s protocol had exclusion criteria for subjects with allergies to vaccine ingredients including aluminum (AAHS), yeast, and the select enzymes. For most of these ingredients, there are limited resources for the public to test for such allergies in advance of being vaccinated.

196. Merck excluded anyone with serious medical conditions from the Gardasil clinical trials, even though CDC recommends the Gardasil vaccine for everyone, regardless of whether or not they suffer from a serious medical condition.

197. Merck sought to exclude from the study all subjects who might be part of any subgroup that would suffer injuries or adverse reactions to any of Gardasil’s ingredients.

198. The study exclusion criteria are not listed as warnings on the package inserts and the package insert for Gardasil only mentions an allergy to yeast or to a previous dose of Gardasil as a contraindication, rather than an allergy to any other component. Nonetheless, for most of the ingredients, it is almost impossible to determine if such an allergy exists prior to being vaccinated and Merck does not recommend allergy testing before administering the vaccine.

199. Instead of testing the vaccine on a population representative of the cross-section of humans who would receive the approved vaccine, Merck selected robust, super-healthy trial

participants, who did not reflect the general population, in order to mask injurious effects on all the vulnerable subgroups that now receive the vaccine. Therefore, the population tested in the clinical trials was a much less vulnerable population than the population now receiving Gardasil.

iv. Merck Deceived Regulators and The Public by Classifying Many Serious Adverse Events, Which Afflicted Nearly Half of All Study Participants, As Coincidences

200. Because Merck did not use a true placebo, determining which injuries were attributable to the vaccine and which were attributable to unfortunate coincidence was entirely within the discretion of Merck's paid researchers.

201. In order to cover up and conceal injuries from its experimental vaccine, Merck, during the Gardasil trials, employed a metric, "new medical conditions," that allowed the company to dismiss and fraudulently conceal infections, reproductive disorders, neurological symptoms, and autoimmune conditions, which affected a troubling 50 percent of all clinical trial participants.

202. Merck's researchers systematically dismissed reports of serious adverse events from 49 percent of trial participants in order to mask the dangers of the vaccine.

203. Instead of reporting these injuries as "adverse events," Merck dismissed practically all of these illnesses and injuries as unrelated to the vaccine by classifying them under its trashcan metric "new medical conditions," a scheme Merck could get away with only because it used a "spiked" (poisonous) placebo, that was yielding injuries at comparable rates.

204. Merck's use of a toxic placebo allowed the company to conceal from the public an epidemic of autoimmune diseases and other injuries and deaths associated with its multi-billion-dollar HPV vaccine.

205. Because Merck conducted its studies without a true placebo, Merck investigators had wide discretion to decide what constituted an adverse event and used that power to dismiss a

wave of grave vaccine injuries, injuries that sickened half of the trial volunteers, as coincidental.

206. Almost half (49 percent) of all trial participants, regardless of whether they received the vaccine or Merck's toxic placebo, reported adverse events, including serious illnesses such as blood, lymphatic, cardiac, gastrointestinal, immune, musculoskeletal, reproductive, neurological, and psychological conditions, chronic illnesses such as thyroiditis, arthritis and multiple sclerosis, and conditions requiring surgeries. *See, e.g., Nancy B. Miller, Clinical Review of Biologics License Application for Human Papillomavirus 6, 11, 16, 18 LI Virus Like Particle Vaccine (S. cerevisiae) (STN 125126 GARDASIL), manufactured by Merck, Inc. at 393-94 (Table 302) (June 8, 2006).*

v. **Merck Manipulated the Study Protocols to Block Participants and Researchers from Reporting Injuries and Conducted the Studies in a Manner That Masked Any Long-Term Adverse Events**

207. Merck adopted multiple strategies to discourage test subjects from reporting injuries.

208. Merck provided Vaccination Report Cards to a limited number of trial participants. For example, in Protocol 015, only approximately 10 percent of participants – all in the United States, despite trial sites worldwide – received Vaccination Report Cards to memorialize reactions in the first few days following injections.

209. Furthermore, the report cards only included categories of “Approved Injuries” mainly injection site reactions (burning, itching, redness, bruising) leaving no room to report more serious unexplained injuries such as autoimmune diseases. In fact, they were deliberately conducted so that only non-serious reactions would be reported.

210. Furthermore, Merck instructed those participants to record information for only 14 days following the injection.

211. In this way, Merck foreclosed reporting injuries with longer incubation periods or

delayed diagnostic horizons.

212. Abbreviated reporting periods were part of Merck's deliberate scheme to conceal chronic conditions such as autoimmune or menstrual cycle problems, and premature ovarian failure, all of which have been widely associated with the vaccine but would be unlikely to show up in the first 14 days following injection.

213. Merck researchers did not systematically collect adverse event data, from the trials, which were spread out over hundreds of test sites all over the world.

214. To conceal the dangerous side effects of its vaccine, Merck purposely did not follow up with girls who experienced serious adverse events during the Gardasil clinical trials.

215. Merck failed to provide the trial subjects a standardized questionnaire checklist of symptoms, to document a comparison of pre- and post-inoculation symptoms.

216. To discourage its clinicians from reporting adverse events, Merck made the paperwork reporting requirements for supervising clinicians, onerous and time-consuming, and refused to pay investigators additional compensation for filling out the paperwork.

217. Thus, Merck disincentivized researchers from reviewing participants' medical records even when the participant developed a "serious medical condition that meets the criteria for serious adverse experiences" as described in the protocol.

218. Merck granted extraordinary discretion to its researchers to determine what constituted a reportable adverse event, while incentivizing them to report nothing and to dismiss all injuries as unrelated to the vaccine.

219. Merck used subpar, subjective data collection methods, relying on participants' recollections and the biased viewpoints of its trial investigators.

220. Merck downplayed the incidence of serious injuries and used statistical

gimmickry to under-report entries.

221. During its Gardasil clinical trials, Merck failed to adequately capture and properly code adverse events and symptoms, including but not limited to adverse events and symptoms that were indicative of autoimmune or neurological injuries, including but not limited to POTS and CRPS, so as to prevent the medical community, regulators and patients from learning about these adverse events and to avoid the responsibility of having to issue appropriate warnings concerning these adverse events.

vi. **Merck Deceived Regulators and the Public About Its Pivotal Gardasil Clinical Trial (Protocol 018)**

222. Merck tested Gardasil and Gardasil 9 in some 50 clinical trials, each one called a “Protocol.” However, results for many of these studies are not available to the public or even to the regulators licensing Gardasil. See Lars Jørgensen, *et al.*, *Index of the Human Papillomavirus (HPV) Vaccine Industry Clinical Study Programmers and Non-Industry Funded Studies: a Necessary Basis to Address Reporting Bias in a Systematic Review*, 7 SYSTEMATIC REVIEWS 8 (January 18, 2018).

223. Gardasil’s most important clinical trial was Protocol 018. The FDA considered Protocol 018 the pivotal trial upon which Gardasil licensing approvals hinged, because FDA believed (1) it was the only trial where Merck used a “true saline placebo,”; and (2) it was the only trial with a comparator group that included girls aged 11 to 12 – the target age for the Gardasil vaccine.²

224. Merck lied to regulators, to the public and to subjects in its clinical trials by claiming that the Protocol 018 “placebo” group received an actual saline or inert placebo.

² See Transcript of FDA Center For Biologics Evaluation and Research VRBPAC Meeting, May 18, 2006, at 93 (Dr. Nancy Miller).

225. When the FDA approved Gardasil, it described the Protocol 018 control as a “true saline placebo.”

226. The FDA declared that the Protocol 018 trial was “of particular interest” because Merck used a true saline placebo instead of the adjuvant as a control.

227. Merck told regulators that it gave a “saline placebo” to only one small group of approximately 600 nine to 15-year-old children.

228. In fact, Merck did not give even this modest control group a true saline placebo, but rather, the group members were given a shot containing “the carrier solution” – a combination of toxic substances including polysorbate 80, sodium borate (borax), genetically modified yeast, L-histidine, and possibly a fragmented DNA adjuvant.

229. The only components of Gardasil the control group did not receive were the HPV antigens and the aluminum adjuvant.

230. Despite the combination of toxic chemicals in the carrier solution, those children fared much better than any other study or control group participants, all of whom received the AAHS aluminum adjuvant.

231. Only 29 percent of the vaccinated children and 31 percent of control recipients in Protocol 018 reported new illnesses from Day 1 through Month 12, compared to an alarming 49.6 percent of those vaccinated and 49 percent of AAHS controls in the “pooled group” (composed of some 10,000 young women and with the other participants combined) from Day 1 only through Month 7 (not 12). Because the pooled group also included Protocol 018, even those numbers may not be accurate with respect to those who received either a vaccine with a full dose of AAHS or those who received an AAHS control.

232. Few of the participants in the Protocol 018 control group got systemic

autoimmune diseases, compared to 2.3 percent (1 in every 43) in the pooled group. In a follow-up clinical review in 2008, the FDA identified three girls in the carrier-solution group with autoimmune disease. Based on the number of girls in the placebo group as stated in the original 2006 clinical review, fewer than 1 percent of girls in the carrier solution group reported autoimmune disease.

233. In order to further deceive the public and regulators, upon information and belief, Merck cut the dose of aluminum adjuvant in half when it administered the vaccine to the nine to fifteen-year-old children in its Protocol 018 study group.

234. As a result, this group showed significantly lower “new medical conditions” compared to other protocols.

235. Upon information and belief, Merck pretended that the vaccinated children in the Protocol 018 study group received the full dose adjuvant by obfuscating the change in formulation in the description.

236. Upon information and belief, Merck cut the adjuvant in half, knowing that this would artificially and fraudulently lower the number of adverse events and create the illusion that the vaccine was safe.

237. Upon information and belief, Merck lied about this fact to the FDA.

238. The data from that study therefore do not support the safety of the Gardasil formulation since Merck was not testing Gardasil but a far less toxic formulation.

239. Upon information and belief, Merck was testing a product with only half the dose of Gardasil’s most toxic component.

240. Upon information and belief, this is blatant scientific fraud, which continues to this day because this is the study upon which current vaccine safety and long-term efficacy

assurances are based.

241. As set forth above, upon information and belief, Merck's deception served its purpose: Only 29 percent of the vaccinated children in Protocol 018 reported new illness, compared to an alarming 49.6 percent in the pooled group to receive the full dose adjuvant in the vaccine.

I. Contrary to Merck's Representations, Gardasil May Actually Cause and Increase the Risk of Cervical and Other Cancers

242. Gardasil's label states, "Gardasil has not been evaluated for potential to cause carcinogenicity or genotoxicity." The Gardasil 9 label states: "GARDASIL9 has not been evaluated for the potential to cause carcinogenicity, genotoxicity or impairment of male fertility.

243. Peer-reviewed studies, including CDC's own studies, have suggested that the suppression of the HPV strains targeted by the Gardasil vaccine may actually open the ecological niche for replacement by more virulent strains. *See* Fangjian Guo et al., *Comparison of HPV prevalence between HPV-vaccinated and non-vaccinated young adult women (20–26 years)*, 11 HUMAN VACCINES & IMMUNOTHERAPEUTICS 2337 (October 2015); Sonja Fischer et al., *Shift in prevalence of HPV types in cervical cytology specimens in the era of HPV vaccinations*, 12 ONCOLOGY LETTERS 601 (2016); J. Lyons-Weiler, *Biased Cochrane Report Ignores Flaws in HPV Vaccine Studies, and Studies of HPV Type Replacement*, (May 18, 2018). In other words, Gardasil may increase the chances of getting cancer.

244. In short, the Gardasil vaccines, which Merck markets as anti-cancer products, may themselves cause cancer or mutagenetic changes that can lead to cancer.

245. Merck concealed from the public data from its clinical trials indicating that the vaccines enhance the risk of cervical cancers in many women.

246. Merck's study showed that women exposed to HPV before being vaccinated were

44.6 percent more likely to develop cancerous lesions compared to unvaccinated women, even within a few years of receiving the vaccine.

247. In other words, Merck's studies suggest that its HPV vaccines may cause cancer in women who have previously been exposed to HPV, particularly if they also have a current infection.

248. In some studies, more than 30 percent of girls show evidence of exposure to HPV before age ten, from casual exposures, unwashed hands or in the birth canal. Flora Bacopoulou et al., *Genital HPV in Children and Adolescents: Does Sexual Activity Make a Difference?*, 29 JOURNAL OF PEDIATRIC & ADOLESCENT GYNECOLOGY 228 (June 2016).

249. Even in light of the data demonstrating that Gardasil can increase the risk of cancer in girls who previously have been exposed to HPV, in order to increase profits, Merck's Gardasil labels and promotional material do not inform patients and medical doctors of this important risk factor.

250. Some clinical trial participants have developed cancer, including cervical cancer.

251. Numerous women have reported a sudden appearance of exceptionally aggressive cervical cancers following vaccination.

252. Cervical cancer rates are climbing rapidly in all the countries where Gardasil has a high uptake.

253. An Alabama study shows that the counties with the highest Gardasil uptakes also had the highest cervical cancer rates.

254. Since the introduction of HPV Vaccine in Britain, cervical cancer rates among young women aged 25 to 29 have risen 54 percent.

255. In Australia, government data reveals there has been a sharp increase in cervical

cancer rates in young women following the implementation of the Gardasil vaccine. The most recent data reveal that, 13 years after Gardasil was released and pushed upon teenagers and young adults, there has been a 16 percent increase in 25- to 29-year-olds and a 30 percent increase in 30 to 34 year-old girls contracting cervical cancer, corroborating the clinical trial data that Gardasil may *increase* the risk of cervical cancer, particularly in patients who had previous HPV infections. Meanwhile, rates are decreasing for older women (who have not been vaccinated).

256. In addition to the belief that Gardasil may create and open an ecological niche for replacement by more virulent strains of HPV, resulting in the increase of cervical cancers as outlined above, in light of Merck's false advertising that Gardasil prevents cervical cancer, young women who have received Gardasil are foregoing regular screening and Pap tests in the mistaken belief that HPV vaccines have eliminated all their risks.

257. Cervical screening is proven to reduce the cases of cervical cancer, and girls who have taken the vaccine are less likely to undergo cervical screenings.

258. Data show that girls who received HPV vaccines before turning 21 are far less likely to get cervical cancer screening than those who receive the vaccines after turning 21.

259. The cervical screening is more cost effective than vaccination alone or vaccination with screening.

260. Therefore, Pap tests, which detect cervical tissue abnormalities, and HPV DNA testing are the most effective frontline public health response to cervical health, without potential side-effects.

\\

\\

J. Merck has Concealed the Fact that Gardasil Induces and Increases the Risk of Autoimmune Diseases, and Other Injuries, Including But Not Limited to Seizure Disorder, Neurological Dysfunction, Postural Orthostatic Tachycardia Syndrome (POTS), Chronic Fatigue Syndrome (CFS), Neuropathy, Fibromyalgia, and Dysautonomia

261. Gardasil induces and increases the risk of autoimmune disease.

262. Gardasil has been linked to a myriad of autoimmune disorders, including but not limited, to: Guillain–Barré syndrome (“GBS”), postural orthostatic tachycardia syndrome (“POTS”), Orthostatic Intolerance (“OI”), chronic inflammatory demyelinating polyneuropathy (“CDIP”), small fiber neuropathy (“SNF”), systemic lupus erythematosus (“SLE”), immune thrombocytopenic purpura (“ITP”), multiple sclerosis (“MS”), acute disseminated encephalomyelitis (“ADEM”), antiphospholipid syndrome (“APS”), transverse myelitis, rheumatoid arthritis, interconnective tissue disorder, autoimmune pancreatitis (“AIP”) and autoimmune hepatitis.

263. Gardasil has also been linked to a myriad of diseases and symptoms that are associated with induced-autoimmune disease, including for example, seizure disorders, neurological dysfunction, fibromyalgia, dysautonomia, premature ovarian failure, chronic fatigue syndrome (“CFS”), chronic regional pain syndrome (“CRPS”), cognitive dysfunction, migraines, severe headaches, persistent gastrointestinal discomfort, widespread pain of a neuropathic character, encephalitis syndrome, joint pain, brain fog with associated autonomic dysfunction.

264. In a 2015 textbook, *VACCINES AND AUTOIMMUNITY*, edited by Dr. Yehuda Shoenfeld, the father of autoimmunology research, and many of the world’s leading autoimmunity experts, the scientists concluded that Gardasil can cause autoimmune disorders because of the vaccine’s strong immune stimulating ingredients. *See* Lucija Tomljenovic & Christopher A. Shaw, *Adverse Reactions to Human Papillomavirus Vaccines*, *VACCINES &*

AUTOIMMUNITY 163 (Yehuda Shoenfeld et al. eds., 2015).

265. Medical experts have opined that the mixture of adjuvants contained in vaccines, in particular in the Gardasil vaccines, is responsible for post-vaccination induced autoimmune diseases in select patients. The risks have become so prolific that medical experts have coined a new umbrella syndrome – Autoimmune/Inflammatory Syndrome Induced by Adjuvants (“ASIA”) to refer to the spectrum of immune-mediated diseases triggered by an adjuvant stimulus contained in vaccines, such as aluminum. See e.g., YEHUDA SHOENFELD ET AL, EDS., VACCINES & AUTOIMMUNITY 2 (2015).

266. Indeed, even in animal studies, it has been revealed that aluminum adjuvants can induce autoimmune disease in tested animals. By way of example, in a series of studies conducted by Lluís Luján, DVM, Ph.D., and his colleagues, it was revealed that sheep injected with aluminum-containing adjuvants commonly come down with severe autoimmune diseases and other adverse reactions.

267. Specific to the Gardasil vaccines, which contain adjuvants, including, amorphous aluminum hydroxyphosphate sulfate (AAHS) and the previously undisclosed HPV L1 gene DNA fragments, a number of mechanisms of action have been outlined (as discussed *infra*) as to how Gardasil induces autoimmune disease in select patients.

268. Given the number of HPV strains that exist, a great part of the human population has HPV, however, HPV by itself is generally not immunogenic, and generally does not evoke immune responses. Indeed, HPV shares a high number of peptide sequences with human proteins, so that the human immune system generally does not react against HPV in order to not harm self-proteins. Immunotolerance thus generally blocks reactions against HPV in order to avoid autoimmune attacks against the human proteins.

269. To induce anti-HPV immune reactions, Merck added various adjuvants, including amorphous aluminum hydroxyphosphate sulfate (AAHS), to the Gardasil vaccine. Adjuvants, such as aluminum, are inflammatory substances that hyperactivate the immune system. Adjuvants are thus the “secret sauce” used by Merck to hyperactivate the immune system and make HPV immunogenic.

270. While adjuvants are added with the intent of destroying the HPV virus, they also can have the unintended result of rendering the immune system “blind” and unable to distinguish human proteins from HPV proteins – accordingly, human proteins that share peptide sequences with HPV are at risk of also being attacked by the vaccine.

271. While Gardasil causes immune hyperactivation and production of anti-HPV antibodies to fend off certain strains of the HPV virus, it can also result in the immune system losing its ability to differentiate human proteins from foreign proteins, causing the immune system to attack the body’s own proteins and organs. Because of the massive peptide commonality between HPV and human proteins, the indiscriminate attack triggered by the Gardasil adjuvants will cause massive cross-reactions and dangerous attacks against human proteins, leading to a number of autoimmune diseases manifested throughout the different organs of the body. This process is sometimes referred to as “molecular mimicry.”

272. In addition to “molecular mimicry,” other mechanisms of action that explain how Gardasil can induce autoimmune disease are “epitope spreading,” whereby invading Gardasil antigens, including the toxic aluminum adjuvant, accelerate autoimmune process by location activation of antigen presenting cells and “bystander activation,” wherein antigens and the aluminum adjuvants in the Gardasil vaccine activate pre-primed autoreactive T cells, which can initiate autoimmune disease (bystander activation of autoreactive immune T cells), or where

virus-specific T cells initiate bystander activation resulting in the immune system killing uninfected and unintended neighboring cells.

273. In a 2017 review, Drs. Tom Jefferson and Lars Jørgensen criticized the European Medicines Agency (“EMA”) for turning a blind eye to the debilitating autoimmune injuries including postural orthostatic tachycardia syndrome (“POTS”) and complex regional pain syndrome (CRPS) that young woman had suffered following vaccination with HPV vaccine. Tom Jefferson et al., *Human Papillomavirus Vaccines, Complex Regional Pain Syndrome, Postural Orthostatic Tachycardia Syndrome, and Autonomic Dysfunction – A Review of the Regulatory Evidence from the European Medicines Agency*, 3 INDIAN J. OF MED. ETHICS 30 (Jan. – March 2017).

274. In a separate article, the same authors describe their process for extracting data from not only peer-reviewed journal publications, but also unpublished data from pharmaceutical company clinical study reports and trial register entries from ClinicalTrials.gov, under the assumption that “more than half of all studies are never published, and the published studies’ intervention effects are often exaggerated in comparison to the unpublished studies. This introduces reporting bias that undermines the validity of systematic reviews. To address reporting bias in systematic reviews, it is necessary to use industry and regulatory trial registers and trial data—in particular, the drug manufacturers’ complete study programs.” They found that 88 percent of industry studies were solely industry funded and found serious deficiencies and variability in the availability of HPV vaccine study data. For example, only half of the completed studies listed on ClinicalTrials.gov posted their results. The clinical study reports the authors obtained confirmed that the amount of information and data are vastly greater than that in journal publications. When the authors compared the data, the EMA used (which was

provided by GlaxoSmithKline and Merck Sharp and Dohme) to conduct their review of the relationship between HPV vaccination and both POTS and CRPS, the authors found that only 48 percent of the manufacturers' data were reported. According to the authors, "we find this very disturbing." Lars Jørgensen et al., *Index of the Human Papillomavirus (HPV) Vaccine Industry Clinical Study Programmes and Non-Industry Funded Studies: A Necessary Basis to Address Reporting Bias in a Systematic Review*, 7 SYSTEMATIC REVIEW 8 (2018).

275. Likewise, in a recently released February 2020 peer-reviewed study, researchers who analyzed the available clinical trial data for all HPV vaccines, which include the Gardasil vaccines and another HPV vaccine currently only available in Europe, concluded that "HPV vaccines increased serious nervous disorders." Lars Jørgensen et al., *Benefits and Harms of the Human Papillomavirus (HPV) Vaccines: Systemic Review with Meta-Analyses of Trial Data from Clinical Study Reports*, 9 SYSTEMATIC REVIEWS 43 (February 2020).

276. In addition, Jørgensen and his co-authors observed that, in reanalyzing the association between HPV vaccines and one specific autoimmune disease, POTS, the HPV vaccines were associated with a nearly two-fold increased risk of POTS. *Id.*

277. Jørgensen and his co-authors also noted many of the same shortcomings associated with the Gardasil clinical trials as have already been discussed in this Complaint, including for example, the fact that no true placebo was utilized by Merck as a comparator (i.e., the comparator/control used by Merck in the Gardasil clinical trials contained aluminum adjuvant). The researchers noted that "[t]he use of active comparators may have underestimated harms related to HPV vaccines," and that "[t]he degree of harms might therefore be higher in clinical practice than in the trials." *Id.*

278. Jørgensen and his co-authors also noted that the clinical trials revealed that

Gardasil 9 induced more harms than Gardasil, which could be explained by the fact that Gardasil 9 contains more of the AAHS aluminum adjuvant (500 micrograms of AAHS in Gardasil-9 vs. 225 micrograms of AAHS in Gardasil), and this dose-response relationship further corroborates the plausible claim that the AAHS aluminum adjuvant is a culprit in causing adverse events. *Id.*

279. Other researchers, including Tomljenovic and Shaw, who have closely looked into Gardasil, have opined that risks from the Gardasil vaccine seem to significantly outweigh the as yet unproven long-term benefits. In their view, vaccination is unjustified if the vaccine carries any substantial risk, let alone a risk of death, because healthy teenagers face an almost zero percent risk of death from cervical cancer.

K. Merck has Concealed the Fact that Gardasil Increases the Risk of Fertility Problems

280. Merck has never tested the impact of the Gardasil vaccines on human fertility.

281. Nevertheless, study volunteers reported devastating impacts on human fertility during combined trials, offering substantial evidence that the vaccine may be causing widespread impacts on human fertility, including increases in miscarriage, birth defects, premature ovarian failure and premature menopause in girls and young women.

282. One of the serious adverse events now emerging in vaccinated girls, including teens, is premature ovarian failure. *See, e.g.,* D. T. Little and H. R. Ward, *Adolescent Premature Ovarian Insufficiency Following Human Papillomavirus Vaccination: A Case Series Seen in General Practice*, JOURNAL OF INVESTIGATIVE MEDICINE HIGH IMPACT, Case Reports 1-12 (Oct.-Dec. 2014); D. T. Little and H. R. Ward, *Premature ovarian failure 3 years after menarche in a 16-year-old girl following human papillomavirus vaccination*, BMJ CASE REPORTS (September 30, 2012).

283. Premature ovarian failure can occur after aluminum destroys the maturation

process of the eggs in the ovaries.

284. Fertility has plummeted among American women following the 2006 mass introduction of the Gardasil vaccine. This is most evident in teen pregnancy statistics where numbers have more than halved since 2007.


285. The total fertility rate for the United States in 2017 continued to dip below what is needed for the population to replace itself, according to a report by the National Center of Health Statistics issued in January 2019, and the rate for women 15 to 44 fell another 2 percent between 2017 and 2018.

L. There were an Increased Number of Deaths in the Gardasil Studies

286. Merck’s own preliminary studies predicted that Gardasil would kill and injure far more Americans than the HPV virus, prior to the introduction of the vaccine.

287. The average death rate in young women in the U.S. general population is 4.37 per 10,000. See Brady E. Hamilton et al., “Births: Provisional Data for 2016,” *Vital Statistics Rapid Release, Report No. 002*, June 2017.

288. The Gardasil pooled group had a death rate of 8.5 per 10,000, or almost double the background rate in the U.S.



Background CDC rate 4.37 source: National Vital Statistics Report Vol. 53 2002 page 24.³⁷
 Gardasil rate 8.5: 10/11,778. AAHS control rate 7.2: 7/9,680³⁸
 Cervical cancer mortality: 2.3 per 100,000 source: National Cancer Institute SEER Cancer Statistics Review 2015³⁹

289. When Merck added in deaths from belated clinical trials, the death rate jumped to 13.3 per 10,000 (21 deaths out of 15,706).

290. Merck dismissed all deaths as coincidences.

291. The total number of deaths was 21 in the HPV vaccine group and 19 in the comparator (AAHS) groups.

292. The death rate among vaccine recipients was 13.3 per 10,000, or 133 per 100,000 (21/15,706).

293. To put this in perspective, the death rate from cervical cancer in the United States is 2.3 per 100,000 women. This means that, according to Merck's own data, a girl is 58 times more likely to die from Gardasil than from cervical cancer.

M. Post-Marketing Injuries -- The Raft of Injuries Seen in Merck's Clinical Trials Has Now Become A Population-Wide Chronic Disease Epidemic

294. By 2010, reports coming in from all over the world linked the Gardasil vaccine to bizarre and troubling symptoms.

295. Many Gardasil survivors will have lifelong handicaps.

296. The severe adverse events from the Gardasil vaccination, seen since its widespread distribution, are similar to those injuries that Merck covered up during its clinical trials. They include autoimmune diseases, premature ovarian failures, reproductive problems, infertility, cervical cancer, sudden collapse, seizures, multiple sclerosis, strokes, heart palpitations, chronic muscle pain, complex regional pain syndrome, and weakness.

297. Other frequently reported injuries include disturbances of consciousness; systemic pain including headache, myalgia, arthralgia, back pain and other pain; motor dysfunction, such as paralysis, muscular weightiness, and involuntary movements; numbness, and sensory disturbances; autonomic symptoms including hypotension, tachycardia, nausea,

vomiting, and diarrhea; respiratory dysfunction, including dyspnea, and asthma; endocrine disorders, such as menstrual disorder and hypermenorrhea; and lastly, hypersensitivity to light, heart palpitations, migraine headaches, dizziness, cognitive deficits, personality changes, vision loss, joint aches, headaches, brain inflammation, chronic fatigue, death, and severe juvenile rheumatoid arthritis.

298. As of December 2019, there have been more than 64,000 Gardasil adverse events reported to the FDA's Vaccine Adverse Event Reporting System ("VAERS") since 2006.

299. Moreover, studies have shown that only approximately 1 percent of adverse events are actually reported to FDA's voluntary reporting systems, thus, the true number of Gardasil adverse events in the United States may be as high as 6.4 million incidents.

300. The Vaccine Injury Compensation Program has paid out millions of dollars in damages for Gardasil-induced injuries and deaths.

301. The adverse events also include deaths. Parents, doctors, and scientists have reported hundreds of deaths from the Gardasil vaccine, post-marketing.

302. In order to conceal Gardasil's link to the deaths of teenagers, Merck has submitted fraudulent reports to VAERS, and posts fraudulent and misleading statements on its Worldwide Adverse Experience System.

303. For example, Merck attributed the death of a young woman from Maryland, Christina Tarsell, to a viral infection. Following years of litigation, a court determined that Gardasil caused Christina's death. There was no evidence of viral infection. Merck invented this story to deceive the public about Gardasil's safety.

304. Merck submitted fraudulent information about Christina Tarsell's death to its Worldwide Adverse Experience System and lied to the FDA through the VAERS system.

Merck claimed that Christina's gynecologist had told the company that her death was due to viral infection. Christina's gynecologist denied that she had ever given this information to Merck. To this day, Merck has refused to change its false entry on its own reporting system.

N. The Gardasil Vaccines' Harms Are Not Limited to the United States, Rather the Vaccines Have Injured Patients All Over the World

305. Gardasil is used widely in the international market. Widespread global experience has likewise confirmed that the vaccine causes serious adverse events with minimal proven benefit.

306. According to the World Health Organization's Adverse Event Databases, there have been more than 100,000 serious adverse events associated with Gardasil, outside the Americas.³

i. In Light of Gardasil's Serious and Debilitating Adverse Events, the Japanese Government Rescinded Its Recommendation that Girls Receive Gardasil

307. In Japan, a country with a robust history of relative honesty about vaccine side effects, the cascade of Gardasil injuries became a public scandal.

308. Japan's health ministry discovered adverse events reported after Gardasil were many times higher than other vaccines on the recommended schedule. These included seizures, severe headaches, partial paralysis, and complex regional pain syndrome. See Hirokuni Beppu et al., *Lessons Learnt in Japan From Adverse Reactions to the HPV Vaccine: A Medical Ethics Perspective*, 2 INDIAN J MED ETHICS 82 (April-June 2017).

309. Japanese researchers found that the adverse events rate of the HPV vaccine was as high as 9 percent, and that pregnant women injected with the vaccine aborted or miscarried 30

³ See WHO Vigibase database, keyword Gardasil: <http://www.vigiaccess.org>.

percent of their babies.⁴

310. The injuries caused the Japanese government to rescind its recommendation that girls receive the HPV vaccine.

311. Japan withdrew its recommendation for Gardasil three months after it had added the vaccine to the immunization schedule, due to “an undeniable causal relationship between persistent pain and the vaccination.”

312. Uptake rates for the vaccine in Japan are now under 1 percent, compared to 53.7 percent fully vaccinated teenaged girls in the United States.

313. In late 2016 Japanese industry watchdog, MedWatcher Japan issued a scathing letter faulting the WHO for failing to acknowledge the growing body of scientific evidence demonstrating high risk of devastating side effects.

314. In 2015, the Japanese Association of Medical Sciences issued official guidelines for managing Gardasil injuries post-vaccination.

315. That same year, the Japanese Health Ministry published a list of medical institutions where staffs were especially trained to treat patients who had sustained Gardasil-induced injuries.

316. The Japanese government also launched a series of special clinics to evaluate and treat illnesses caused by the Gardasil vaccines.

317. The president of the Japanese Association of Medical Sciences stated that there was no proof that the vaccines prevent cancer.

318. These were developments that Merck was extremely anxious to suppress.

319. Merck hired the think tank, the Center for Strategic and International Studies

⁴ See Ministry of Health, Labour and Welfare, Transcript “The Public Hearing on Adverse Events following HPV vaccine in Japan,” February 26, 2014.

(“CSIS”) and Professor Heidi Larson of the Vaccine Confidence Project in London, to assess the reasons for the Japanese situation. The overall conclusion was that the symptoms the girls were suffering from were psychogenic in nature and were a result of rumors spread online. In essence, Merck blamed the victims for the Gardasil-induced adverse events in Japan.

ii. Denmark Has Opened Specialized Clinics Specifically Focused on Treating Gardasil-Induced Injuries, Including Gardasil-Induced Autoimmune Diseases

320. In March 2015, Denmark announced the opening of five new “HPV clinics” to treat children injured by Gardasil vaccines. Over 1,300 cases flooded the HPV clinics shortly after opening. *See Zosia Chustecka, Chronic Symptoms After HPV Vaccination: Danes Start Study*, MEDSCAPE (November 13, 2015).

iii. Gardasil-Induced Adverse Events Caused the Government in Colombia to Conclude that Gardasil Would No Longer Be Mandatory

321. In Colombia, more than 800 girls in the town of El Carmen de Bolivar reported reactions ranging from fainting to dizziness to paralysis in March of 2014, following vaccination with Gardasil.

322. With protests erupting across the country, the Colombian attorney general asked the Constitutional Court to rule on a lower court ruling on the outcome of a case of an injured girl.

323. In 2017, in response to an unresolved case, Colombia’s constitutional court ruled that the Colombian government could not infringe on the bodily integrity of its citizens. This decision meant that the government could not require the HPV vaccine to be mandatory.

\\

\\

iv. India Halted Gardasil Trials and Accused Merck of Corruption After the Death of Several Young Girls Who were Participants in the Trial

324. Seven girls died in the Gardasil trials in India coordinated by Merck and the Gates Foundation. A report by the Indian Parliament accused the Gates Foundation and Merck of conducting “a well-planned scheme to commercially exploit” the nation’s poverty and powerlessness and lack of education in rural India in order to push Gardasil.⁵

325. The report alleges that Merck (through PATH, to whom it supplied vaccines) and the Gates Foundation resorted to subterfuge that jeopardized the health and well-being of thousands of vulnerable Indian children. The parliamentary report makes clear that the clinical trials could not have occurred without Merck corrupting India’s leading health organizations. *Id.*

326. The Report accused PATH, which was in collaboration with Merck, of lying to illiterate tribal girls to obtain informed consent, widespread forging of consent forms by Merck operatives, offering financial inducements to participate, and providing grossly inadequate information about potential risks. *Id.*

327. Many of the participants suffered adverse events including loss of menstrual cycles and psychological changes like depression and anxiety. According to the report: PATH’s “sole aim has to been to promote the commercial interests of HPV vaccine manufacturers, who would have reaped a windfall of profits had they been successful in getting the HPV vaccine included in the universal immunization program of the country... This [conduct] is a clear-cut violation of the human rights of these girls and adolescents.” *Id.*

328. A 2013 article in the *South Asian Journal of Cancer* concludes that the HPV

⁵ See 72nd Report on the *Alleged Irregularities in the Conduct of Studies Using Human Papilloma Virus (HPV) Vaccine by Programme for Appropriate Technology in Health (PATH) in India* (August 2013).

vaccine program is unjustifiable. “It would be far more productive to understand and strengthen the reasons behind the trend of decreasing cervical cancer rates than to expose an entire population to an uncertain intervention that has not been proven to prevent a single cervical cancer or cervical cancer death to date.” *See* Sudeep Gupta, *Is Human Papillomavirus Vaccination Likely to be a Useful Strategy in India?* 2 SOUTH ASIAN J CANCER 194 (October-December 2014).

329. The article goes on to say: “A healthy 16-year-old is at zero immediate risk of dying from cervical cancer, but is faced with a small, but real risk of death or serious disability from a vaccine that has yet to prevent a single case of cervical cancer... There is a genuine cause for concern regarding mass vaccination in this country.” *Id.*

330. In April 2017, the Indian government blocked the Gates Foundation from further funding of the Public Health Foundation of India and other non-governmental organizations, effectively barring them from influencing India’s national vaccine program. *See* Nida Najar, *India’s Ban on Foreign Money for Health Group Hits Gates Foundation*, THE NEW YORK TIMES, April 20, 2017.

O. Federal Law and Supreme Court Precedent Have Confirmed that Pharmaceutical and Vaccine Manufacturers Are Responsible for Crafting Adequate Labels and Are Permitted to Unilaterally Revise Their Labels to Issue Enhanced Warnings

331. Plaintiff alleges that, as a result of the Gardasil injection she received on December 21, 2017, she developed serious and debilitating injuries, including but not limited to, Gardasil related seizure disorder, as well as a constellation of adverse symptoms, complications, injuries, and other adverse events, many of which are alleged herein and all of which were caused by Gardasil or otherwise linked to her Gardasil-induced autoimmune disorder.

332. Plaintiff alleges, among other things, that Merck failed to provide adequate

warnings concerning the serious risks of autoimmune injury, neurological injury, and the Gardasil related seizure disorder. As outlined herein, federal law does not preempt her claims because Merck is the architect of its label and responsible for both drafting its initial label and for ensuring its label remains adequate throughout the period the vaccine is on the market. Indeed, as opposed to prohibiting Merck from issuing adequate warnings, federal law liberally permits (and in fact mandates) that Merck propose and issue adequate warnings prior to marketing Gardasil, and likewise permits it to, unilaterally, amend its label as new safety information is identified.

i. Prior to Obtaining FDA Approval for Gardasil, Merck is Responsible for Crafting Gardasil’s Label and No Federal Law Prohibited Merck From Drafting and Issuing a Warning Concerning Autoimmune Risks, Neurological Risks, Seizures or Autonomic Dysfunction

333. Prior to Plaintiff’s Gardasil injection(s), Merck, through its clinical trials, post-marketing adverse event reports, and emerging medical literature, knew or should have known that Gardasil can cause autoimmune injuries, including but not limited to, autoimmune neurological disorders and autonomic dysfunction, such as Gardasil related seizure disorder, but it failed to issue adequate warnings concerning these risks.

334. As the manufacturer of the vaccine, Merck is the entity responsible for submitting a proposed label for the vaccine as part of its FDA approval submission. 21 C.F.R. § 601.2. The label Merck submitted to the FDA did not contain any warnings concerning autoimmune injuries, neurological injuries, and associated autonomic dysfunctions, specifically or generally. No federal law prevented Merck from including a warning concerning autoimmune injuries, neurological injuries, seizures and/or autonomic dysfunction as part of its initial proposed labeling. Indeed, the Supreme Court has recognized that, under federal law, the manufacturer is

charged with “crafting an adequate label.” *Wyeth v. Levine*, 555 U.S. 555, 571 (2009).

335. As outlined in greater detail herein, Merck’s clinical trials of Gardasil were conducted in a manner that intentionally obfuscated and concealed the identification of serious injuries, including injuries with a delayed onset. Notwithstanding the flawed structure of Merck’s clinical trials, the trials revealed cases of clinical trial participants who received Gardasil and subsequently developed specific and associated autoimmune and neurological injuries, with associated autonomic dysfunction that Merck knew, or should have known, was a cause in fact of the Gardasil injection(s).

336. Upon information and belief, had Merck conducted a proper analysis of its Gardasil clinical trials, it would have revealed that a number of clinical trial participants sustained Gardasil-induced autoimmune injuries, neuro-immunological injuries and seizure disorders. Given these disorders are an exceedingly rare disease, and the fact that Gardasil patients in the clinical trials sustained these neuro-immunological injuries, in particular seizure disorder, it was incumbent upon Merck to propose and issue a warning with its original labeling submitted for the Gardasil vaccines.

ii. Between June 2006, When Gardasil Was Approved, and, June 8, 2017, When Plaintiff Received Her First Gardasil Injection, Federal Law Liberally Permitted Merck to Unilaterally Revise Gardasil’s Label and Issue Warnings Concerning Autoimmune Injuries, Neurological Injuries and Associated Autonomic Dysfunction, Including Seizure Disorders

337. Even after Gardasil was approved by the FDA in June 2006, under the federal regulation known as “Changes Being Effected” (CBE), Merck had the ability to unilaterally revise its Gardasil label to issue enhanced warnings. *Levine*, 555 U.S. at 568.

338. Prior to June 8, 2017, when Plaintiff received her first Gardasil injection, the CBE regulations liberally permitted manufacturers, such as Merck, to unilaterally revise their

label and issue enhanced warnings. 21 C.F.R. § 601.12(f)(2)(i)(A) (pre-September 2008 version). Thus, between June 8, 2006, when Gardasil was approved by the FDA, and June 8, 2017, Merck was free to change its Gardasil label to add enhanced warnings, including warnings concerning autoimmune injuries, neurological injuries, and autonomic dysfunction, including a specific warning about seizure disorder, suffered by Plaintiff following her Gardasil injections. Federal law did not preempt nor restrict Merck’s ability to unilaterally revise its Gardasil label.

iii. Between September 22, 2008 and December 21, 2017, When Plaintiff Received Her Last Gardasil Injection, Merck had “Newly Acquired Information” So As to Permit it To Unilaterally Revise Gardasil’s Label and Issue Warnings Concerning Autoimmune Injuries and Related Gardasil Seizure Disorder

339. Effective September 22, 2008, the CBE regulations were amended to, among other things, state that manufacturers such as Merck could unilaterally revise their label when they had “newly acquired information.” *See Levine*, 555 U.S. at 568 (discussing 2008 amendments to CBE). Accordingly, between September 22, 2008, and December 21, 2017 (when Plaintiff received her last Gardasil injection), Merck was permitted to unilaterally enhance its Gardasil label “to reflect newly acquired information.” It should be emphasized, that the Supreme Court has held:

“‘[N]ewly acquired information’ is not limited to new data, but also encompasses ‘new analyses of previously submitted data.’ The rule accounts for the fact that risk information accumulates over time and that the same data may take on a different meaning in light of subsequent developments: ‘If the sponsor submits adverse event information to FDA, and then later conducts a new analysis of data showing risks of a different type or of greater severity or frequency than did reports previously submitted to FDA, the sponsor meets the requirement for ‘newly acquired information.’” *Levine*, 555 U.S. at 569 (internal citations omitted).

340. In *Levine*, the Supreme Court held that the manufacturer’s receipt of a mere 20 post-marketing adverse event reports concerning gangrene during a nearly 40-year period was enough to constitute “newly acquired information” sufficient to warrant the manufacturer to

unilaterally issue an enhanced warning concerning the risk of gangrene, and thus holding plaintiff's products liability failure to warn claims were not preempted. *Levine*, 555 U.S. at 569-570.

341. Of the patients who had received Gardasil prior to Plaintiff's December 21, 2017, vaccination, Merck knew or should have known about *hundreds* of post-marketing adverse event reports of Gardasil associated seizure disorder following Gardasil injections, which would have constituted "newly acquired information" and permitted Merck, under the CBE regulations, to issue warnings concerning autoimmune and neurological injuries, with associated autonomic dysfunction. 21 C.F.R. 601.12(f)(2)(i)(A); *see also Levine*, 555 U.S. at 569-570 (holding that manufacturer "could have analyzed the accumulating data" involving 20 post-marketing adverse event reports and "added a stronger warning").

342. The hundreds of post-marketing Gardasil seizure disorder adverse event reports, many of which were deemed or should have been deemed causally related to Gardasil vaccinations, occurred prior to Plaintiff's injections and, under *Levine* and the post-September 2008 CBE regulations constitute "newly acquired information" which triggers a duty to issue enhanced warnings.

343. In addition, performing industry-standard pharmacovigilance statistical analyses, including disproportionality analyses, on the vaccine adverse event reporting databases (by comparing the reported incidence of Gardasil related seizure disorder among patients who received Gardasil with all other vaccines on the market between 2006 and 2017 would have revealed hundreds of Gardasil related seizure disorder cases and a more-than-two-fold statistically significant reporting odds ratio—meaning that, between 2006 and 2017, incidents of Gardasil related seizure disorders were far greater for Gardasil than all other vaccines on the

market. The foregoing results from the disproportionality analysis of the reported adverse events of Gardasil related seizure disorder, which Merck could have performed prior to Plaintiff's last vaccination injection on December 21, 2017, combined with the Gardasil related seizure disorder adverse events involving vaccinations that occurred prior to December 21, 2017, along with any Gardasil related neurological and/or seizure disorder adverse events revealed during the Gardasil clinical trials, both individually and in combination, would likewise have permitted Merck to utilize the CBE regulations to issue enhanced warnings concerning autoimmune and neurological injuries with corresponding autonomic dysfunction and, specifically warned concerning Gardasil related seizure disorders.

P. Merck's Fraud Has Paid Off Handsomely Resulting in Over \$3 Billion in Gardasil Sales Annually

344. Merck's corruption and fraud in researching, testing, labeling, and promoting Gardasil have paid off handsomely.

345. Presently, two doses of Gardasil 9 typically cost about \$450, plus the cost of two office visits.

346. By comparison, the cost of the DTaP vaccine is about \$25 per dose.

347. The HPV vaccine is the most expensive vaccine on the market.

348. Since approximately 1 in 42,000 American women die of cervical cancer annually, the cost of avoiding a single death is over \$18 million, assuming the Gardasil vaccine is 100 percent effective.

349. In 2018, the Gardasil vaccines made \$2.2 billion for Merck in the U.S. alone.

350. In 2019, Merck made \$3.7 billion in worldwide revenues from the Gardasil vaccines.

351. Gardasil is Merck's most lucrative vaccine and its third-highest selling product.

352. Gardasil is crucial to Merck's overall financial health. Merck identifies Gardasil as one of its "key products," meaning that any change in Gardasil's cash flow affects the corporation as a whole.

353. Merck's 10-K financial reports note that, for example, the discovery of a previously unknown side effect, or the removal of Gardasil from the market, would hurt Merck's bottom line.

III. Courtney M. Kunysz Sustained Autoimmune and Neurological Injuries with Associated Autonomic Dysfunction in the Form of Seizure Disorders and Other Serious Injuries, as A Result of Her Gardasil Injection(s)

354. Plaintiff was 15 years old when she received her first dosage of Gardasil on June 8, 2017. Her second dosage was received shortly thereafter on August 9th with her final three series injection being on December 21, 2017.

355. Plaintiff's mother, Kathryn Kunysz agreed to her daughter receiving the Gardasil vaccine following conversations she had with Plaintiff's pediatrician, Dr Kathryn O'Malley, Muddy Creek Pediatrics, Mason, Ohio. Dr. O'Malley explained to her and the Plaintiff that the Gardasil vaccine was very safe, that the Gardasil vaccine prevents cancer, and that teenagers must get the Gardasil vaccine. Plaintiff's mother does not have a specific recollection of seeing Merck's ubiquitous representations concerning the safety and efficacy of the Gardasil vaccine, however, she has a vague recollection of seeing them. These, in combination with her conversation with and the recommendation of Dr. O'Malley, convinced Plaintiff's mother that Gardasil was an important vaccination for both of her daughters, the other of whom would be coming for her well-child check-up the following month. Because of that conversation, both of her children received the Gardasil HPV vaccinations during 2017.

356. Prior to receiving her Gardasil injection(s), Plaintiff had no autoimmune diseases, no neurological or seizure disorders, and no autonomic issues. Plaintiff did have some health

issues prior to receiving Gardasil, however, they were not particularly challenging. For example, at two years old, Plaintiff was diagnosed with a peanut allergy. Then, at six years old, she was diagnosed with Type 1 Diabetes. Since the diabetes diagnosis, she has never been hospitalized nor has she been required to visit the ER for diabetes. Plaintiff's mother attributes this fact to her daughter's continuous glucose monitoring, which provides an alarm when Plaintiff's blood sugar reaches a dangerous level. Other than this condition and the peanut allergy, Plaintiff was a happy, healthy, normal 16-year-old, loving high school, her friends, her family, her studies, and looking forward to a bright future prior to her Gardasil vaccinations.

357. Although Plaintiff does not recall the December 2017 vaccination being eventful, several months later, on September 12, 2018, Plaintiff had a seizure at school. When contacted by the school, Plaintiff's mother thought the school had her two daughters confused because Plaintiff's sister had just been diagnosed with a seizure disorder one month before. The school assured Plaintiff's mother that it was not her younger daughter but was, in fact, Plaintiff. Plaintiff's mother was surprised but believed this was the result of Plaintiff not having her Dexcom with her that day, so just chalked it up to her daughter having her first diabetic seizure from low blood sugar. However, when Plaintiff's blood glucose was checked, she was in normal range and actually a little high from the glucagon, a diabetes emergency medication the school or EMT provided.

358. For safety purposes, Plaintiff's mother took her daughter to see the pediatrician, Dr. O'Malley, that afternoon.

359. The seizures continued. On November 5, 2018, Plaintiff had a seizure at home. This time, her mother was there for the event. Plaintiff had a Dexcom which read 127, and the finger blood sugar check showed 143. When the paramedics arrived, their device measured her

blood sugar at 128. Plaintiff was taken to the Cincinnati Children's Emergency Medical Center (CCMHC) where Plaintiff had an EEG and an MRI. The EEG came back abnormal. Plaintiff was put on Keppra and discharged home, with instructions to have an evaluation by a neurologist at CCMC.

360. Plaintiff's mother called the pediatrician, Dr. O'Malley, following the emergency room visit.

361. Plaintiff did not have another seizure until December 22, 2019, and then had another one on August 20, 2020. Then, on September 22, 2020, Plaintiff woke up with hives. Plaintiff's allergist put her on medication.

362. Neither Plaintiff nor her parents can understand how both Plaintiff and her younger sister, who are several years apart in age, started having seizures, one month apart from each another. Nothing had changed. Plaintiff's mother realized that both Plaintiff and her sister were vaccinated with Gardasil around the same time, and they both developed a seizure disorder at around the same time.

363. Plaintiff's vaccine injury of seizure disorder and neurological dysfunction was caused-in-fact by the Gardasil vaccination received on December 12, 2017. As previously noted, since Gardasil was put on the market and up to the time Plaintiff received her Gardasil injections, there had been hundreds of reports of seizures following Gardasil in the Vaccine Adverse Event Reporting System.

364. As a result of her post-Gardasil symptoms, Plaintiff has been unable to engage in normal activities that a normal young person would enjoy. Her driving activities have been limited in that her seizures are not well-controlled. She cannot drive a car alone, even to go to the market or the campus library. She must have friends who monitor her while she is in school

at the University of Ohio, and someone must always know how to reach her parents. She never knows when a seizure may come and she has hit her head on objects when she falls because of having a seizure. She is not allowed to swim by herself or practically do any activities by herself because of these seizures and never knowing when one will come about. It is truly incapacitating.

365. As previously discussed, the medical literature has documented other patients who, like Plaintiff, have suffered serious autoimmune, neurological, and autonomic dysfunctions, and who experienced the same side effects as those Plaintiff has suffered, and who were diagnosed with Gardasil-induced autoimmune and autonomic diseases. See E. Israeli et al., Adjuvants and Autoimmunity, 18 LUPUS 1217 (2009); Darja Kanduc, Quantifying the Possible Cross-Reactivity Risk of an HPV16 Vaccine, 8 JOURNAL OF EXPERIMENTAL THERAPEUTICS AND ONCOLOGY 65 (2009); Svetlana Blitshetyn, Postural Tachycardia Syndrome After Vaccination with Gardasil, 17 EUROPEAN J. OF NEUROLOGY e52 (2010); Darja Kanduc, Potential Cross-Reactivity Between HPV16 L1 Protein and Sudden Death Associated Antigens, 9 JOURNAL OF EXPERIMENTAL THERAPEUTICS AND ONCOLOGY 159 (2011); Deirdre Little et al., Premature ovarian failure 3 years after menarche in a 16-year-old girl following human papillomavirus vaccination, BRIT. MED. J. CASE REPORTS (2012); Serena Colafrancesco et al., Human Papilloma Virus Vaccine and Primary Ovarian Failure: Another Facet of the Autoimmune Inflammatory Syndrome Induced by Adjuvants, 70 AM. J. REPRODUCTIVE IMMUNOLOGY 309 (2013); Maurizio Rinaldi et al., Anti-Saccharomyces Cerevisiae Autoantibodies in Autoimmune Diseases: from Bread Baking to Autoimmunity, 45 CLINICAL REVIEWS IN ALLERGY AND IMMUNOLOGY 152 (October 2013); Svetlana Blitshetyn, Postural Tachycardia Syndrome Following Human Papillomavirus

Vaccination, 21 EUROPEAN J. OF NEUROLOGY 135 (2014); Tomomi Kinoshita et al., Peripheral Sympathetic Nerve Dysfunction in Adolescent Japanese Girls Following Immunization With Human Papillomavirus Vaccine, 53 INTERNAL MEDICINE 2185 (2014); Christopher A. Shaw et al., Aluminum-Induced Entropy in Biological Systems: Implications for Neurological Disease, JOURNAL OF TOXICOLOGY (2014); Louise S. Brinth et al., Orthostatic Intolerance and Postural Tachycardia Syndrome As Suspected Adverse Effects of Vaccination Against Human Papilloma Virus, 33 VACCINE 2602 (2015); Manuel Martinez-Lavin et al., HPV Vaccination Syndrome. A Questionnaire Based Study, 34 J. CLINICAL RHEUMATOLOGY 1981 (2015); Louise S. Brinth et al., Is Chronic Fatigue Syndrome/Myalgic Encephalomyelitis a Relevant Diagnosis in Patients with Suspected Side Effects to Human Papilloma Virus Vaccine, 1 INT. J. OF VACCINE & VACCINATION 3 (2015); Jill R. Schofield et al., Autoimmunity, Autonomic Neuropathy, and HPV Vaccination, A Vulnerable Subpopulation, CLINICAL PEDIATRICS (2017); Rebecca E. Chandler et al., Current Safety Concerns With Human Papillomavirus Vaccine: A Cluster Analysis of Reports in VigiBase, 40 DRUG SAFETY 81 (2017); Svetlana Blitshetyn et al., Autonomic Dysfunction and HPV Immunization An Overview, IMMUNOLOGIC RESEARCH (2018); Svetlana Blitshetyn, Human Papilloma Virus (HPV) Vaccine Safety Concerning POTS, CRPS and Related Conditions, CLINICAL AUTONOMIC RESEARCH (2019); Yukari Yaju et al., Safety Concerns with Human Papilloma Virus Immunization in Japan: Analysis and Evaluation of Nagoya City's Surveillance Data for Adverse Events, 16 JAPAN JOURNAL OF NURSING SCIENCE 433 (2019); Lars Jørgensen et al., Benefits and Harms of the Human Papillomavirus (HPV) Vaccines: Systemic Review with Meta-Analyses of Trial Data from Clinical Study Reports, 9 SYSTEMATIC REVIEWS 43 (February 2020).

366. Plaintiff contends that her Gardasil injections caused her to develop serious and debilitating injuries, including but not limited to autonomic, neurological, heterogenous autoimmune disease, as well as a constellation of adverse symptoms, complications, injuries, and other adverse events, many of which are alleged herein and all of which were caused by Gardasil or otherwise linked to her Gardasil-induced autoimmune disorder.

Q. Plaintiff Has Complied with the National Vaccine Injury Compensation Program Requirements

367. Pursuant to Section 300aa-11(a) of the National Vaccine Injury Compensation Program (NVICP): “No person may bring a civil action for damages against a vaccine administrator or manufacturer in a State or Federal court for damages arising from a vaccine-related injury ... associated with the administration of a vaccine unless a petition has been filed, in accordance with section 300aa-16 of this title, for compensation under the Program for such injury ... and (I) the United States Court of Federal Claims has issued a judgment under section 300aa-12 of this title on such petition and (II) such person elects under section 300aa-21(a) to file such an action.” *See* 42 U.S.C. §§ 300aa–11(a)(2)(A).

368. Title 42, Section 300aa-16 (c) further states: “If a petition is filed under section 300aa-11 of this title for a vaccine-related injury or death, limitations of actions under State law shall be stayed with respect to a civil action brought for such injury or death for the period beginning on the date the Petition is filed and ending on the date...an election is made under section 300aa-21(a) of this title to file the civil action ...” *See* 42 U.S.C. §§ 300aa–16(c).

369. In full compliance with the aforementioned federal law, Plaintiff duly filed her petition with the U.S. Court of Federal Claims seeking compensation for her Gardasil vaccine-related injuries under the NVICP. A judgement thereon was rendered and Plaintiff subsequently duly and timely filed her election to file a civil action.

370. Having complied with NVICP administrative procedure and having duly filed her election to proceed with a civil action, Plaintiff hereby timely initiates the instant action against Merck, the manufacturer and promoter of the Gardasil vaccines which caused her debilitating injuries. Through this civil action, Plaintiff seeks to hold Merck accountable for its negligent, reckless, and fraudulent conduct and he/she seeks full compensation from Merck for the physical and emotional injuries and harms he/she sustained as a result of Gardasil.

CAUSES OF ACTION

COUNT ONE

OHIO PRODUCTS LIABILITY ACT

Ohio Rev. Code Section 2307.76

(FAILURE TO WARN)

371. Plaintiff incorporates by reference all other paragraphs of this Complaint as if fully set forth herein, and further alleges:

372. Plaintiff brings this product liability claim against Merck for failure to warn.

373. At all times relevant to this litigation, Merck engaged in the business of researching, testing, developing, manufacturing, marketing, selling, distributing, and promoting Gardasil, which is defective and unreasonably dangerous to consumers, including Plaintiff, because it does not contain adequate warnings or instructions concerning the dangerous characteristics of Gardasil and its ingredients and adjuvants. These actions were under the ultimate control and supervision of Merck.

374. Merck researched, developed, tested, manufactured, inspected, labeled, distributed, marketed, promoted, sold, and otherwise released into the stream of commerce Gardasil, and in the course of same, directly advertised or marketed the vaccine to consumers

and end users, including Plaintiff and her medical providers, and Merck therefore had a duty to warn of the risks associated with the reasonably foreseeable uses of Gardasil and a duty to instruct on the proper, safe use of these products.

375. At all times relevant to this litigation, Merck had a duty to properly research, test, manufacture, inspect, package, label, market, promote, sell, distribute, provide proper warnings, and take such steps as necessary to ensure that Gardasil did not cause users and consumers to suffer from unreasonable and dangerous risks. Merck had a continuing duty to instruct on the proper, safe use of these products. Merck, as manufacturer, seller, or distributor of vaccines, is held to the knowledge of an expert in the field.

376. At the time of manufacture, Merck could have provided warnings or instructions regarding the full and complete risks of Gardasil because it knew or should have known of the unreasonable risks of harm associated with the use of and/or exposure to these products.

377. At all times relevant to this litigation, Merck failed to properly investigate, study, research, test, manufacture, label or promote Gardasil. Merck also failed to minimize the dangers to children, patients, and consumers of Gardasil products and to those who would foreseeably use or be harmed by Gardasil, including Plaintiff.

378. Despite the fact that Merck knew or should have known that Gardasil posed a grave and unreasonable risk of harm (including but not limited to increased risk of autoimmune disease, and the various other Gardasil induced injuries that Plaintiff has sustained), it failed to warn of the risks associated with Gardasil. The dangerous propensities of Gardasil and the carcinogenic characteristics and autoimmune-inducing characteristics of Gardasil, as described in this Complaint, were known to Merck, or scientifically knowable to Merck through appropriate research and testing by known methods, at the time it distributed, supplied, or sold Gardasil, and

not known to end users and consumers, such as Plaintiff and her medical providers.

379. Merck knew or should have known that Gardasil and its ingredients and adjuvants created significant risks of serious bodily harm to children and patients, as alleged herein, and Merck failed to adequately warn patients, parents, medical providers and reasonably foreseeable users of the risks and lack of efficacy of Gardasil. Merck has wrongfully concealed information concerning Gardasil's dangerous nature and lack of efficacy and has further made false and misleading statements concerning the safety and efficacy of Gardasil.

380. Plaintiff was injected with Gardasil in its intended or reasonably foreseeable manner without knowledge of its unreasonable dangerous and inefficacious characteristics.

381. Plaintiff could not have reasonably discovered the defects and risks associated with Gardasil before or at the time of her injection. Plaintiff relied upon the skill, superior knowledge, and judgment of Merck.

382. Merck knew or should have known that the warnings disseminated with Gardasil were inadequate and failed to communicate adequate information concerning the true risks and lack of efficacy of Gardasil and failed to communicate warnings and instructions that were appropriate and adequate to render the products safe for their ordinary, intended, and reasonably foreseeable uses, including injections in teenagers.

383. The information that Merck did provide or communicate failed to contain relevant warnings, hazards, and precautions that would have enabled patients, parents of patients and the medical providers of patients to properly utilize, recommend or consent to the utilization of Gardasil. Instead, Merck disseminated information that was inaccurate, false, and misleading and which failed to communicate accurately or adequately the lack of efficacy, comparative severity, duration, and extent of the serious risk of injuries associated Gardasil; continued to

aggressively promote the efficacy and safety of its products, even after it knew or should have known of Gardasil's unreasonable risks and lack of efficacy; and concealed, downplayed, or otherwise suppressed, through aggressive marketing and promotion, any information or research about the risks, defects and dangers of Gardasil.

384. To this day, Merck has failed to adequately and accurately warn of the true risks of Plaintiff's injuries, including but not limited to, autoimmune and neurological diseases and injuries, with associated autonomic dysfunction including seizure disorders associated with the use of and exposure to Gardasil, and has failed to warn of the additional risks that Plaintiff is now exposed to, including, but not limited to, the increased risk of cancer, and other potential side effects and ailments.

385. As a result of Merck's failure to warn and false promotion, Gardasil is and was defective and unreasonably dangerous when it left the possession and/or control of Merck, was distributed by Merck, and used by Plaintiff.

386. Merck is liable to Plaintiff for injuries caused by its failure, as described above, to provide adequate warnings or other clinically relevant information and data regarding Gardasil, the lack of efficacy and serious risks associated with Gardasil and its ingredients and adjuvants.

387. The defects in Merck's Gardasil vaccine were substantial and contributing factors in causing Plaintiff's injuries, and, but for Merck's misconduct and omissions and Gardasil's defects, including its defective labeling and false promotion, Plaintiff would not have sustained her injuries which she has sustained to date, and would not have been exposed to the additional prospective risk and dangers that are associated with Gardasil.

388. Had Merck not engaged in the negligent and fraudulent conduct alleged herein and/or had Merck, via its labeling, advertisements, and promotions provided adequate and

truthful warnings and properly disclosed and disseminated the true risks, limitations, and lack of efficacy associated with Gardasil to medical providers, patients and the public, then upon information and belief, Plaintiff's medical providers would not have offered or recommended Gardasil to Plaintiff. Moreover, even if after Merck's dissemination of truthful information concerning the true risks and efficacy limitation of Gardasil, Plaintiff's medical providers had offered Gardasil, then upon information and belief, the providers would have heeded any warnings issued by Merck and relayed to Plaintiff the safety risks and efficacy limitations that Merck should have warned her about but failed to do so. Had Plaintiff been informed of the true risks and efficacy limitation concerning Gardasil, through her medical providers or through Merck's ubiquitous direct-to-consumer promotional marketing, on which she and her mother relied, then Plaintiff would not have consented to being injected with Gardasil.

389. As a proximate result of Merck's wrongful acts and omissions and its negligent and fraudulent testing, labeling, manufacturing, and promotion of Gardasil, Plaintiff has suffered and continues to suffer severe and permanent physical injuries, including, but not limited to, her autoimmune disease and associated symptomology and has suffered severe and permanent emotional injuries, including pain and suffering. Plaintiff also has a substantial fear of suffering additional and ongoing harms, including but not limited to now being at an increased risk of cancer, and future symptoms and harms associated with her autoimmune disease and other injuries caused by Gardasil.

390. As a direct and proximate result of her Gardasil-induced injuries, Plaintiff has suffered and continues to suffer economic losses, including considerable financial expenses for medical care and treatment, and diminished income capacity and she will continue to incur these losses and expenses in the future.

391. Merck's conduct, as described above, was oppressive, fraudulent, and malicious. Merck regularly risks the lives of teenagers, including Plaintiff, with full knowledge of the limited efficacy of Gardasil and the severe and sometimes fatal dangers of Gardasil. Merck has made conscious decisions to not warn or inform the unsuspecting public, including Plaintiff and her medical providers. Merck's conduct, including its false promotion of Gardasil and its failure to issue appropriate warnings concerning the severe risks of Gardasil, created a substantial risk of significant harm to children, teenagers, and patients who were being injected with Gardasil that Merck intentionally disregarded, and therefore warrants an award of punitive damages.

392. WHEREFORE, Plaintiff requests that the Court enter judgment in her favor for all compensatory and punitive damages, together with interest, and costs herein incurred, and all such other and further relief as this Court deems just and proper.

COUNT TWO

OHIO PRODUCTS LIABILITY ACT

Ohio Rev. Code Section 2307.74

(MANUFACTURING DEFECT)

393. Plaintiff incorporates by reference all other paragraphs of this Complaint as if fully set forth herein, and further alleges:

394. Plaintiff brings this products liability claim against Merck for manufacturing defect.

395. At all times relevant to this litigation, Merck engaged in the business of researching, testing, developing, manufacturing, marketing, selling, distributing, and promoting Gardasil, which is defective and unreasonably dangerous to consumers, including Plaintiff, because of manufacturing defects, which patients, including Plaintiff and her medical providers

did not expect.

396. Upon information and belief, the Gardasil vaccines injected into Plaintiff were defective and unreasonably dangerous because they failed to comply with manufacturing specifications required by the governing manufacturing protocols and also required by the regulatory agencies, including but not limited to the FDA, by among other things, containing ingredients and toxins that were not disclosed in the FDA-approved specifications and/or otherwise not disclosed in the package insert.

397. Upon information and belief, and as way of example, the Gardasil injected into Plaintiff was defective and unreasonably dangerous because it failed to comply with the approved manufacturing specifications, by containing dangerous and undisclosed HPV L1-DNA fragments, and these DNA fragments could act as a Toll-Like Receptor 9 (TLR9) agonist, further adjuvanting the vaccine and making it more potent and dangerous than intended.

398. Upon information and belief, and as way of example, the Gardasil injected into Plaintiff was defective and unreasonably dangerous because it failed to comply with the approved manufacturing specifications, by containing dangerous and undisclosed ingredients and neurotoxins, including but not limited to, phenylmethylsulphonyl fluoride (PMSF), a toxic nerve agent that is not intended for human consumption or injections.

399. Plaintiff and her medical providers could not reasonably have discovered the defects, including the manufacturing defects, and risks associated with Gardasil before or at the time of her injection. Plaintiff relied upon the skill, superior knowledge, and judgment of Merck.

400. Merck is liable to Plaintiff for injuries caused as a result of its manufacturing defects.

401. The defects in Merck's Gardasil vaccine were substantial and contributing factors

in causing Plaintiff's injuries, and, but for Merck's misconduct and omissions and Gardasil's defects, including but not limited to its manufacturing defects, Plaintiff would not have sustained the injuries she has sustained to date, and would not have been exposed to the additional prospective risk and dangers associated with Gardasil.

402. As a proximate result of Merck's wrongful acts and Gardasil's manufacturing defects, Plaintiff has suffered and continues to suffer severe and permanent physical injuries and associated symptomology and has suffered severe and permanent emotional injuries, including pain and suffering. Plaintiff also has a substantial fear of suffering additional and ongoing harms, including but not limited to now being at an increased risk of cancer, and future symptoms and harms associated with her autoimmune disease and other injuries caused by Gardasil.

403. As a direct and proximate result of her Gardasil-induced injuries, Plaintiff has suffered and continues to suffer economic losses, including considerable financial expenses for medical care and treatment, and diminished income capacity, and she will continue to incur these losses and expenses in the future.

404. Merck's conduct, as described above, was oppressive, fraudulent, and malicious. Merck regularly risks the lives of patients, including Plaintiff, with full knowledge of the limited efficacy of Gardasil and the severe and sometimes fatal dangers of Gardasil. Merck has made conscious decisions to not warn, or inform the unsuspecting public, including Plaintiff, and her medical providers. Merck's conduct, including its false promotion of Gardasil and its failure to issue appropriate warnings concerning the severe risks of Gardasil, created a substantial risk of significant harm to children and patients who were being injected with Gardasil that Merck intentionally disregarded, and therefore warrants an award of punitive damages.

405. WHEREFORE, Plaintiff requests that the Court enter judgment in her favor for compensatory and punitive damages, together with interest, and costs herein incurred, and all such other and further relief as this Court deems just and proper.

COUNT THREE

OHIO PRODUCTS LIABILITY ACT

Ohio Rev. Code Section 2307.77

(NON CONFORMANCE WITH REPRESENTATIONS)

406. Plaintiff incorporates by reference all other paragraphs of this Complaint as if fully set forth herein, and further alleges:

407. Merck engaged in the business of testing, researching, manufacturing, labeling, marketing, selling, distributing, and promoting Gardasil, which is defective and unreasonably dangerous to consumers, including Plaintiff.

408. At all times relevant to this litigation, Merck made representations through statements made in its Gardasil label, publications, television advertisements, billboards, print advertisements, online advertisements and website, and other written materials intended for consumers, patients, parents of minor-aged patients, medical providers and the general public, that Gardasil was safe and effective at preventing cancer. Merck advertised, labeled, marketed, and promoted Gardasil, representing the quality to consumers, patients, medical providers and the public in such a way as to induce their purchase or use, that Gardasil would conform to the representation.

409. These express representations included incomplete warnings and instructions that purport, but fail, to include the complete array of risks associated with Gardasil. Merck knew and/or should have known that the risks expressly included in Gardasil's promotional material

and labels did not and do not accurately or adequately set forth the risks of developing the serious injuries complained of herein. Nevertheless, Merck falsely and expressly represented that Gardasil was “safe” for use by individuals such as Plaintiff, and/or that Gardasil was “effective” in preventing cancer and that anyone who was vaccinated with Gardasil would be “one less” person with cancer.

410. The representations about Gardasil, as set forth herein, contained or constituted affirmations of fact or promises made by the seller to the buyer, which related to the goods and became part of the basis of the bargain that the goods would conform to the representations.

411. Merck breached these representations because, among other things, Gardasil is ineffective at preventing cancer, defective, dangerous, unfit for use, and is associated with a myriad of dangerous and undisclosed risks, including, but not limited to, the risk of autoimmune disease, including seizure disorders, the risk of developing cervical cancer in women (even though Merck promoted it as preventing cervical cancer), and the risk of fertility problems for young girls. Specifically, Merck breached the warranties in the following ways:

a) Representing to patients and the medical community, including Plaintiff, her parents and/or her medical providers that Gardasil is effective in preventing cancer, including anal and cervical cancer, when Merck knew that contrary to these representations (i) no clinical studies were performed to test if Gardasil prevents cancer; (ii) the clinical studies confirmed that Gardasil is indeed ineffective when used in patients who have previously been exposed to HPV, and that Gardasil actually increases the risk of cancer in a patient who has been previously exposed to HPV; and (iii) there are safer and more effective methods of monitoring for and attempting to prevent cervical or anal cancer, including but not limited to regular testing, such as regular Pap smears for cervical cancer, and monitoring for anal cancer.

b) Representing to patients and the medical community, including Plaintiff and her medical providers that Gardasil is safe, when in reality, Gardasil causes and presents serious risks of cancer, autoimmune disease, including but not limited to POTS, and other grave illnesses as outlined herein;

c) Engaging in false advertising and disease mongering by scaring parents and teenagers into believing that cervical and anal cancer is far more prevalent than it really is; that all cervical and anal cancer was linked to HPV; that Gardasil prevented cervical cancer, when in reality none of these representations were true as cervical cancer rates were declining in the United States due to Pap testing and Gardasil has not been shown to prevent against all strains of HPV that are associated with cervical cancer and indeed it has never been shown to prevent cervical or anal cancer.

412. Merck had sole access to material facts concerning the nature of the risks and defects associated with Gardasil as expressly stated within its promotional material and labels, and Merck knew that patients and users such as Plaintiff could not have reasonably discovered the truth about the inefficacies and serious risks associated with Gardasil as alleged herein.

413. Plaintiff had no knowledge of the falsity or incompleteness of Merck's statements and representations concerning Gardasil.

414. Plaintiff was exposed to and relied upon the ubiquitous promotional material and representations Merck made in its direct-to-consumer advertisements and marketing materials concerning the safety and efficacy of Gardasil, including that Gardasil prevents cervical and anal cancer and these cancers are prevalent (even though children rarely get cervical or anal cancer and Pap tests are the best frontline defense in detecting and fighting cervical cancer); that "good mothers" vaccinate their children and that Gardasil is perfectly safe. However, had Merck in

these advertisements not engaged in disease mongering and deception, but instead had informed her the truth about the serious risks of Gardasil (as outlined in this Complaint) and its lack of efficacy, she would never have consented to being injected with Gardasil, nor would Plaintiff have consented to the Gardasil injection had she been adequately informed about the questionable efficacy and serious risks associated with Gardasil.

415. As a proximate result of Merck's wrongful acts and breaches of warranties concerning the safety and efficacy of Gardasil, Plaintiff has suffered and continues to suffer severe and permanent physical injuries, and associated symptomology and has suffered severe and permanent emotional injuries, including pain and suffering. Plaintiff also has a substantial fear of suffering additional and ongoing harms, including but not limited to now being at an increased risk of cancer, and future symptoms and harms associated with her autoimmune disease and other injuries caused by Gardasil.

416. As a direct and proximate result of her Gardasil-induced injuries, Plaintiff has suffered and continues to suffer economic losses, including considerable financial expenses for medical care and treatment, and diminished income capacity and she will continue to incur these losses and expenses in the future.

417. Merck's conduct, as described above, was oppressive, fraudulent, and malicious. Merck regularly risks the lives of patients, including Plaintiff, with full knowledge of the limited efficacy of Gardasil and the severe and sometimes fatal dangers of Gardasil. Merck has made conscious decisions to not warn, or inform the unsuspecting public, including Plaintiff and her medical providers. Merck's conduct, including its false promotion of Gardasil and its failure to issue appropriate warnings concerning the severe risks of Gardasil, created a substantial risk of significant harm to children and patients who were being injected with Gardasil that Merck

intentionally disregarded, and therefore warrants an award of punitive damages.

418. WHEREFORE, Plaintiff requests that the Court enter judgment in her favor for compensatory and punitive damages, together with interest, and costs herein incurred, and all such other and further relief as this Court deems just and proper. Plaintiff also demands a jury trial on the issues contained herein.

COUNT FOUR

BREACH OF EXPRESS WARRANTY

419. Plaintiff incorporates by reference all other paragraphs of this Complaint as if fully set forth herein, and further alleges:

420. Merck engaged in the business of testing, researching, manufacturing, labeling, marketing, selling, distributing, and promoting Gardasil, which is defective and unreasonably dangerous to consumers, including Plaintiff.

421. At all times relevant to this litigation, Merck expressly represented and warranted through statements made in its Gardasil label, publications, television advertisements, billboards, print advertisements, online advertisements and website, and other written materials intended for consumers, patients, parents of minor-aged patients, medical providers and the general public, that Gardasil was safe and effective at preventing cancer. Merck advertised, labeled, marketed, and promoted Gardasil, representing the quality to consumers, patients, medical providers and the public in such a way as to induce their purchase or use, thereby making an express warranty that Gardasil would conform to the representations.

422. These express representations included incomplete warnings and instructions that purport, but fail, to include the complete array of risks associated with Gardasil. Merck knew and/or should have known that the risks expressly included in Gardasil's promotional material

and labels did not and do not accurately or adequately set forth the risks of developing the serious injuries complained of herein. Nevertheless, Merck falsely and expressly represented that Gardasil was “safe” for use by individuals such as Plaintiff, and/or that Gardasil was “effective” in preventing cancer and that anyone who was vaccinated with Gardasil would be “one less” person with cancer.

423. The representations about Gardasil, as set forth herein, contained or constituted affirmations of fact or promises made by the seller to the buyer, which related to the goods and became part of the basis of the bargain, creating an express warranty that the goods would conform to the representations.

424. Merck breached these warranties because, among other things, Gardasil is ineffective at preventing cancer, defective, dangerous, unfit for use, and is associated with a myriad of dangerous and undisclosed risks, including, but not limited to, the risk of autoimmune disease, including seizure disorders, the risk of developing cervical cancer in women (even though Merck promoted it as preventing cervical cancer), and the risk of fertility problems for young girls. Specifically, Merck breached the warranties in the following ways:

d) Representing to patients and the medical community, including Plaintiff, her parents and/or her medical providers that Gardasil is effective in preventing cancer, including anal and cervical cancer, when Merck knew that contrary to these representations (i) no clinical studies were performed to test if Gardasil prevents cancer; (ii) the clinical studies confirmed that Gardasil is indeed ineffective when used in patients who have previously been exposed to HPV, and that Gardasil actually increases the risk of cancer in a patient who has been previously exposed to HPV; and (iii) there are safer and more effective methods of monitoring for and attempting to prevent cervical or anal cancer, including but not limited to regular testing, such as

regular Pap smears for cervical cancer, and monitoring for anal cancer.

e) Representing to patients and the medical community, including Plaintiff and her medical providers that Gardasil is safe, when in reality, Gardasil causes and presents serious risks of cancer, autoimmune disease, including but not limited to POTS, and other grave illnesses as outlined herein;

f) Engaging in false advertising and disease mongering by scaring parents and teenagers into believing that cervical and anal cancer is far more prevalent than it really is; that all cervical and anal cancer was linked to HPV; that Gardasil prevented cervical cancer, when in reality none of these representations were true as cervical cancer rates were declining in the United States due to Pap testing and Gardasil has not been shown to prevent against all strains of HPV that are associated with cervical cancer and indeed it has never been shown to prevent cervical or anal cancer.

425. Merck had sole access to material facts concerning the nature of the risks and defects associated with Gardasil as expressly stated within its promotional material and labels, and Merck knew that patients and users such as Plaintiff could not have reasonably discovered the truth about the inefficacies and serious risks associated with Gardasil as alleged herein.

426. Plaintiff had no knowledge of the falsity or incompleteness of Merck's statements and representations concerning Gardasil.

427. Plaintiff was exposed to and relied upon the ubiquitous promotional material and representations Merck made in its direct-to-consumer advertisements and marketing materials concerning the safety and efficacy of Gardasil, including that Gardasil prevents cervical and anal cancer and these cancers are prevalent (even though children rarely get cervical or anal cancer and Pap tests are the best frontline defense in detecting and fighting cervical cancer); that

“good mothers” vaccinate their children and that Gardasil is perfectly safe. However, had Merck in these advertisements not engaged in disease mongering and deception, but instead had informed her the truth about the serious risks of Gardasil (as outlined in this Complaint) and its lack of efficacy, she would never have consented to being injected with Gardasil, nor would Plaintiff have consented to the Gardasil injection had she been adequately informed about the questionable efficacy and serious risks associated with Gardasil.

428. As a proximate result of Merck’s wrongful acts and breaches of warranties concerning the safety and efficacy of Gardasil, Plaintiff has suffered and continues to suffer severe and permanent physical injuries, and associated symptomology and has suffered severe and permanent emotional injuries, including pain and suffering. Plaintiff also has a substantial fear of suffering additional and ongoing harms, including but not limited to now being at an increased risk of cancer, and future symptoms and harms associated with her autoimmune disease and other injuries caused by Gardasil.

429. As a direct and proximate result of her Gardasil-induced injuries, Plaintiff has suffered and continues to suffer economic losses, including considerable financial expenses for medical care and treatment, and diminished income capacity and she will continue to incur these losses and expenses in the future.

430. Merck’s conduct, as described above, was oppressive, fraudulent, and malicious. Merck regularly risks the lives of patients, including Plaintiff, with full knowledge of the limited efficacy of Gardasil and the severe and sometimes fatal dangers of Gardasil. Merck has made conscious decisions to not warn, or inform the unsuspecting public, including Plaintiff and her medical providers. Merck’s conduct, including its false promotion of Gardasil and its failure to issue appropriate warnings concerning the severe risks of Gardasil, created a substantial risk of

significant harm to children and patients who were being injected with Gardasil that Merck intentionally disregarded, and therefore warrants an award of punitive damages.

431. WHEREFORE, Plaintiff requests that the Court enter judgment in her favor for compensatory and punitive damages, together with interest, and costs herein incurred, and all such other and further relief as this Court deems just and proper. Plaintiff also demands a jury trial on the issues contained herein.

COUNT FIVE

FRAUD AND NEGLIGENT MISREPRESENTATION

432. Plaintiff incorporates by reference all other paragraphs of this Complaint as if fully set forth herein, and further alleges:

433. Merck is the researcher, manufacturer, labeler, and promoter of Gardasil.

434. Merck marketed Gardasil to and for the benefit of patients, including teenagers such as Plaintiff and her medical providers.

435. Merck had a duty to deal honestly and truthfully with regulators, patients, consumers and medical providers in its development, testing, marketing, promotion, and sale of Gardasil.

436. Merck's duty of care owed to patients and medical providers included providing accurate, complete, true, and correct information concerning the efficacy and risks of Gardasil in its direct-to-consumer advertisements, promotional material, and labeling.

437. At all times relevant to this litigation, Merck knew or should have known of the hazards and dangers of Gardasil and specifically, the serious, debilitating and potentially fatal adverse events associated with Gardasil, including but not limited to autoimmune diseases, increased risk of cancer, and death.

438. At all times relevant to this litigation, Merck knew or should have known that its poorly designed clinical trials and studies were insufficient to test the true long-term safety and

439. At all times relevant to this litigation, Merck expressly represented through statements it made in its publications, ubiquitous television advertisements, billboards, print advertisements, online advertisements and website, and other written materials intended for consumers, patients, parents of minor-aged patients, medical providers and the general public, that Gardasil was safe and effective at preventing cancer.

440. These express representations included incomplete warnings and instructions that purport, but fail, to include the complete array of risks associated with Gardasil. By way of example Merck's marketing material, including its "One Less" television and print advertisement campaign (including but not limited to Gardasil posters in medical facilities and doctors' offices), which Plaintiff had been exposed to, stated that Gardasil was safe, that Gardasil was effective in preventing cancer, that Gardasil was a "cervical cancer vaccine," and that any young child or teenager who was vaccinated with Gardasil would lead to "one less" person with cervical or anal cancer. The only safety warnings Merck provided in these marketing materials was that a patient could get pain, swelling or redness at injection site, fever, and/or nausea.

441. The ubiquitous nature of these Gardasil commercials and the Gardasil marketing campaign gave the impression that cervical cancer was on the rise and more prevalent than it actually was, and that all good mothers vaccinate their children with the "cervical cancer vaccine."

442. Merck knew or should have known that the risks expressly included in Gardasil's promotional material and labels did not and do not accurately or adequately set forth the true and

complete risks of developing the serious injuries that are associated with Gardasil, as previously alleged herein, and which include but are not limited to POTS, systemic adverse events, autoimmune disease, increased risk of cancer, and death.

443. The same promises of efficacy and limited and incomplete warnings Merck relayed in its direct-to-consumer advertising, were what Plaintiff's medical provider relayed to she and her mother when Dr. O'Malley recommended Gardasil – i.e., that if Plaintiff got vaccinated with Gardasil, it would prevent cancer, and there were no significant risks.

444. Prior to providing consent to inject Plaintiff with the Gardasil vaccine, Plaintiff was never informed by Merck, or anyone else, that Merck had not conducted the proper testing necessary to demonstrate the efficacy and full safety of Gardasil.

445. Prior to providing consent to inject Plaintiff with the Gardasil vaccine, Plaintiff was never informed by Merck, or anyone else, that Merck had, as alleged herein, manipulated its clinical studies to mask and conceal the adverse events associated with Gardasil.

446. Prior to providing consent to inject Plaintiff with the Gardasil vaccine, Plaintiff was never informed by Merck, or anyone else, that the Gardasil clinical trials never established that Gardasil can prevent cervical or anal cancer, even though Merck in its promotional material falsely represented that Gardasil was a “cervical cancer vaccine” and that a patient who received Gardasil would result in “one less” woman or man getting cancer.

447. Merck's representations were false, because in truth, Gardasil has not been proven to prevent cervical or anal cancer and is associated with a myriad of dangerous and undisclosed risks, including, but not limited to, the risk of autoimmune and neurological injuries and disease, with associated autonomic dysfunction including seizures, the increased risk of developing cancer, and other serious side effects. The false representations Merck made to the patients,

children, teenagers, the parents of children and teenagers, the medical community, including to Plaintiff, included:

a) that Gardasil is effective in preventing cervical and anal cancer, when Merck knew that contrary to these representations (i) no clinical studies were performed to test whether Gardasil prevents cancer; and (ii) the clinical studies confirmed that Gardasil is indeed ineffective when used in patients who have previously been exposed to HPV, and that Gardasil actually increases the risk of cervical cancer in any child or patient who has been previously exposed to HPV;

b) that Gardasil is safe, when in reality, Gardasil causes and presents severe risks of cancer (including cervical cancer, the very cancer it is promoted as preventing), fertility problems, autoimmune and neurological diseases and injuries, with associated autonomic dysfunction, including seizure disorders, and other grave illnesses;

c) false advertising and disease mongering by scaring parents into believing that cervical and anal cancer were far more prevalent than it really was; that Gardasil prevented cervical and anal cancer; and that Gardasil only had risks of injection site pain and fever, when in reality none of these representations were true as cervical cancer rates were declining in the United States due to Pap testing and Gardasil has not been shown to prevent cervical or anal cancer, and indeed some studies demonstrated that it actually increased the risk of cervical cancer; and Gardasil was linked to a host of serious, chronic and sometimes fatal diseases, including autoimmune diseases, as previously outlined in this Complaint.

448. These representations and other similar representations were made by Merck to the public, including to Plaintiff, with the intent that parents would either seek out Gardasil from their medical providers or otherwise would provide their consent when they were offered

Gardasil.

449. At the time Plaintiff's mother provided her consent to the Gardasil injection, Plaintiff nor her mother were aware of the falsity of Merck's aforementioned representations concerning the safety and efficacy of Gardasil.

450. Plaintiff's mother reasonably and justifiably relied upon the truth of the assurance made by Merck in its direct-to-consumer marketing concerning the efficacy and safety of Gardasil (which were also echoed by Plaintiff's medical providers), when she provided consent to be injected with the Gardasil vaccine.

451. Had Merck's advertisements and promotional material, which Merck targeted to teenagers and the parents of teenagers, as well as their physicians, and upon which Plaintiff's mother relied, provided complete and truthful warnings and properly disclosed and disseminated the true risks, limitations and lack of efficacy associated with Gardasil, then Plaintiff's mother would not have consented to being injected with Gardasil.

452. Merck also engaged in a number of additional fraudulent activities that led to regulators, medical providers (upon information and belief, including but not limited Plaintiff's medical providers), and the general public (including directly and/or indirectly Plaintiff) to be duped into believing that Gardasil is safe and effective. These fraudulent acts are outlined in greater detail in the preceding paragraphs of this Complaint, and included, among others:

a) Failing to test Gardasil against a true inert placebo and lying to the public that Gardasil was tested against a placebo, when in reality, all, or nearly all, studies used a toxic placebo that included the dangerous aluminum adjuvant AAHS.

b) Failing to conduct a sufficient number of studies for the targeted patient population which included pre-teen girls (and boys) between the ages of nine and 12.

- c) Not using the commercial dosage (and instead using a lower dosage of the adjuvant and ingredients) in one of the key clinical trials, which was used to obtain licensing for the commercial dosage of Gardasil;
- d) Using very restrictive exclusionary criteria in the clinical study patient population (including for example, exclusion of anyone who had prior abnormal Pap tests, who had a history of immunological or nervous system disorders or was allergic to aluminum or other ingredients), but then not revealing or warning about these exclusionary criteria in the label and knowing that for most of these ingredients and allergies, there are limited resources for the public to test for such allergies in advance of being vaccinated;
- e) Failing to disclose all of the ingredients in Gardasil, including but not limited to the fact that Gardasil contains dangerous HPV L1-DNA fragments and that these DNA fragments could act as a Toll-Like Receptor 9 (TLR9) agonist – further adjuvanting the vaccine and making it more potent and dangerous.

453. Merck engaged in the above-mentioned fraudulent conduct as well as the additional fraudulent conduct detailed throughout this Complaint with the intent to enhance Gardasil's safety and efficacy profile and to conceal Gardasil's serious risks and efficacy shortcomings in order to secure regulatory approval and more importantly, so as to encourage physicians and medical providers to recommend Gardasil to patients and to prepare and encourage patients to request and consent to Gardasil injections.

454. Neither Plaintiff, her mother or her physicians could have reasonably discovered the falsity of Merck's representations, the fraudulent nature of Merck's conduct, and the defects and risks associated with Gardasil before or at the time of her injection. Plaintiff and her mother relied upon the skill, superior knowledge, and judgment of Merck, the manufacturer, labeler, and

promoter of Gardasil, and they detrimentally relied upon Merck's fraudulent, false, and misleading statements, omissions, and conduct.

455. As a proximate result of Merck's fraudulent, false, and misleading statements, omissions, and conduct concerning the safety and efficacy of Gardasil, Plaintiff has suffered and continues to suffer severe and permanent physical injuries, and associated symptomology and has suffered severe and permanent emotional injuries, including pain and suffering. Plaintiff also has a substantial fear of suffering additional and ongoing harms, including but not limited to now being at an increased risk of cancer, and future symptoms and harms associated with her autoimmune disease and other injuries caused by Gardasil.

456. As a direct and proximate result of her Gardasil-induced injuries, Plaintiff has suffered and continues to suffer economic losses, including considerable financial expenses for medical care and treatment, and diminished income capacity and she will continue to incur these losses and expenses in the future.

457. Merck's conduct, as described above, was oppressive, fraudulent, and malicious. Merck regularly risks the lives of patients, including Plaintiff, with full knowledge of the limited efficacy of Gardasil and the severe and sometimes fatal dangers of Gardasil. Merck has made conscious decisions to not warn, or inform the unsuspecting public, including Plaintiff and her medical providers. Merck's conduct, including its false promotion of Gardasil and its failure to issue appropriate warnings concerning the severe risks of Gardasil, created a substantial risk of significant harm to children and patients who were being injected with Gardasil.

458. WHEREFORE, Plaintiff requests that the Court enter judgment in her favor for compensatory and punitive damages, together with interest, and costs herein incurred, and all such other and further relief as this Court deems just and proper. Plaintiff also demands a jury

trial on the issues contained herein.

PRAYER FOR RELIEF

WHEREFORE, Plaintiff MacKenzie L. Pennell requests that the Court enter judgment in her favor and against Merck & Co., Inc. and Merck Sharp and Dohme LLC (collectively “Merck”) as to all causes of action, and awarding as follows:

A. For actual or compensatory damages in such amount to be determined at trial and as provided by applicable law;

B. For economic and non-economic damages in an amount to be proven at trial;

C. For medical, incidental, hospital, psychological and other expenses in an amount to be proven at trial;

D. For loss of earnings and earnings capacity, in an amount to be proven at trial;

E. For an award of pre-judgment and post-judgment interest as provided by law;

F. For exemplary and punitive damages against Merck sufficient to punish and deter Merck and others from future fraudulent practices;

G. For preliminary and/or permanent injunctive relief against Merck;

H. For an award providing for payment of reasonable fees, court costs, and other litigation expenses as permitted by law;

I. For such other and further relief as this Honorable Court may deem just and proper.

JURY TRIAL DEMAND

Plaintiff demands a trial by jury on all of the triable issues within this pleading.

Respectfully submitted,

DATED: December 9, 2022

PENDLEY, BAUDIN & COFFIN, LLP

/s/ Tracy Turner

Tracy L. Turner

tturner@pbclawfirm.com

24110 Eden Street

Plaquemine, LA 70764

Telephone: (225) 687-6396

Facsimile: (225) 687-6398

Michael L. Baum (*Pro Hac Vice to be filed*)

mbaum@baumhedlundlaw.com

Bijan Esfandiari (*Pro Hac Vice to be filed*)

besfandiari@baumhedlundlaw.com

Stephanie Sherman (*Pro Hac Vice to be filed*)

ssherman@baumhedlundlaw.com

Monique Alarcon (*Pro Hac Vice to be filed*)

malarcon@baumhedlundlaw.com

Harrison E. James (*Pro Hac Vice to be filed*)

hjames@baumhedlundlaw.com

**BAUM, HEDLUND, ARISTEI, &
GOLDMAN, P.C.**

11111 Santa Monica Blvd, Suite 1750

Los Angeles, CA 90025

Telephone: (310) 207-3233

Facsimile: (310) 820-7444

Attorneys for Plaintiff